


ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





KSU29 #1-250 Split Bolt Conn Burndy LLC

Catalog Number	KSU29
Manufacturer	Burndy LLC
Description	Tin-Plated, High Strength Copper Alloy Servit With Spacer. Spacer Seperates Dissimilar Conductors and Provides Long Contact Length That Prevents High Pressure Point Contacts Between Run and Tap Conductors, 2.50 In L.
Weight per unit	0.5670 (lbs/each)
Product Category	Large Terminals & Connectors
eatures	
Material	Copper
Descriptions	
Description	#1-250 SPLIT BOLT CONN
extra long description	BUR KSU29 SERVIT UNIV 1-250
Long Description	Tin-plated, high strength copper alloy SERVIT with spacer. Spacer seperates dissimilar conductors and provides long contact length that prevents high pressure point contacts between run and tap conductors, 2.50 IN L.
Product Type	Servit Univ 1-250
Special Features	Features: Tin-Plated, High Strength Copper Alloy SERVIT With Spacer, Spacer Separates Dissimilar Conductors And Provides Long Contact Length That Prevents High Pressure Point Contacts Between Run And Tap Conductors, Use Of PENETROX Joint Compound Recommended With Aluminum And ACSR, Installation Torque: 650 IN-LB, Conductor Type: Run: ACSR, 5005, AAAC, Commercial Stranded Aluminum, Commercial Stranded And Solid Copper, Tap: ACSR, 5005, AAAC, Commercial Stranded Aluminum, Commercial Stranded And Solid Copper
Manufacturer Information	
Brand	BURNDY
GTIN	00781810036853
Manufacturers Part Number	KSU29
UPC	781810036853

Taxonomies, Classifications, and Categories

Category Description	SPLIT BOLTS
Туре	KSU, Universal



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

ack		

Uses, Certifications, and Standards

Application	For All Combinations Of Copper, Aluminum, ACSR, AAAC, 5005,
	And Steel