

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



## LB85 3" Alu LB SR5 Cond Body Crouse-Hinds

Catalog Number	LB85
Manufacturer	Crouse-Hinds
Description	Conduit Outlet Body, Epoxy Powder Painted (Body); Natural (Gasket), 3 In Trade Size, Threaded/Set Screw Connection, 183.5 Cu.In Capacity, 90 ° Angle, 3 In Hub Size, 4.44 In Width, 4.1 LB/E
Weight per unit	4.1 (lbs/each)
Product Category	Alum
eatures	
connection	Threaded / Set Screw
dimensions	13.1400 IN X 4.4400 IN X 6.4100 IN
Form	Series 5
laterial, Color, and Finish	
Color	Gray
imensions and Weight	
Height	6.41
Hub Size	3 in
Length	13.14
escriptions	
Description	3" ALU LB SR5 COND BODY
extra long description	MIDWEST LB85 3 RGD LB COND BODY AL
Features	Eaton's Crouse-Hinds Division Series 5 die cast copper-free aluminum conduit bodies, covers and gaskets are available for use with rigid or EMT conduit (with set screw). Conduit bodies are available in trade sizes 1/2" to 4", in the most popular conduit body shapes (C, LB, LL, LR, T) and 1/2" to 2" in TB and X shapes. The Series 5 family is available as components or pre-packaged in various configurations as a SnapPack assembly. In addition, Series 5 is completely interchangeable with other manufacturer
lanufacturer Information	
Brand	Eaton
GTIN	00784564140081
UPC	784564140081

## **Taxonomies, Classifications, and Categories**

Category Description	FORM 5 CONDULETS, COVERS, & GASKETS
Type	Conduit outlet body



## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

We DelivelLowel	Cost, Quality	Froducts, & F	ersonal Service

Packaging Carton	1
Waight Pareach	4.1
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure	Condulet
Mounting	Conduit
standard	UL, cUL