

# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



# LBD600 1-1/2" LBD Replace CVR Assy W/HW Crouse-Hinds

Catalog Number	LBD600
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet LBD Replacement Cover Assembly, Feraloy Iron Alloy, Includes Hardware, 1-1/2" or 2"
Weight per unit	4.7 (lbs/each)
Product Category	Bodies & Covers
tures	

#### **Features**

connection	Threaded
dimensions	11.5000 IN X 4.0000 IN X 4.5000 IN

### **Dimensions and Weight**

Hub Size	2-1/2 in
----------	----------

#### **Descriptions**

Description	1-1/2" LBD REPLACE CVR ASSY W/HW
extra long description	CRS-H LBD600 1 1/2 - 2 REPLACE CVR
Features	Crouse-Hinds series mogul bodies are installed in conduit systems to act as pull outlets for conductors that are stiff due to large size or type of insulation. Mogul bodies provide longer openings needed when pulling large conductors and prevent sharp bends and kinks during installation. Mogul conduit bodies are manufactured in trade sizes 1/2" to 6" and are available in Feraloy iron alloy and copper-free aluminum. Our iron alloy bodies are available with a hot dip galvanized finish for added corrosion
Long Description	Eaton Crouse-Hinds series Condulet LBD replacement cover assembly, Feraloy iron alloy, Includes hardware, 1-1/2" or 2"
Product Type	1 1/2 - 2 Replace CVR Assbly & Hardware
Special Features	With Cover and Neoprene Gasket

#### **Manufacturer Information**

Brand	Eaton
GTIN	00782274514277
Manufacturers Part Number	LBD600
UPC	782274514277

## **Taxonomies, Classifications, and Categories**

Category Description	Form 9 condulets, covers & gaskets
Туре	Replacement cover assembly

## **Packaging**

Carton	1	
Weight Per each	4.65	

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

### **Uses, Certifications, and Standards**

Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
standard	UL 514B, CSA C22.2, FEDERAL SPECIFICATION W-C-586D