



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



LED17PLL22GC835D 17W Led T8 PLL 2G11 35K Coated Glass *Keystone Technologies*

| | |
|------------------|---|
| Catalog Number | LED17PLL22GC835D |
| Manufacturer | Keystone Technologies |
| Description | 17W Led PLL Tube, 2G11 Base, Glass Coated Construction, 120-277V Input, 22.5" Long, 3500K |
| Weight per unit | 0.5700 (lbs/each) |
| Product Category | Lighting |

Features

| | |
|-----------------|-----------|
| Ballast Type | N/A |
| beam angle | 160 |
| Circuit Type | N/A |
| Input Voltage | 120-277V |
| ip rating | N/A |
| lumens | 2200;2200 |
| Nominal Length | 22 PLL |
| Nominal Size | N/A |
| Number of Lamps | N/A |
| Output Current | N/A |
| Output Voltage | N/A |
| Sensor Type | N/A |
| Wattage | 17 |
| Wire Type | N/A |

Material, Color, and Finish

| | |
|-----------------------------|-----------|
| Base Type | 2G11 |
| color rendering index (cri) | 80-89 |
| color temperature | 3500;3500 |
| housing color | N/A |

Descriptions

| | |
|------------------------|---|
| Construction | Frosted Glass |
| Description | 17W LED T8 PLL 2G11 35K COATED GLASS |
| extra long description | Key KT-LED17PLL-22GC-835-D /G2 17W, |
| Long Description | 17W LED PLL Tube, 2G11 Base, Glass Coated Construction, 120-277V Input, 22.5" Long, 3500K |
| Product Type | 17W, 2250 Lumen, PLL / Biax, 22" , Bypass, 2G11 |

Manufacturer Information

| | |
|---------------------------|----------------------------|
| Brand | Keystone |
| GTIN | 00843654131115 |
| Manufacturers Part Number | KT-LED17PLL-22GC-835-D /G2 |
| UPC | 843654131115 |



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description LED DECORATIVE C, CA, F, G SHAPE LAMPS

Packaging

Carton 1

Package 24

Weight Per each 0.57

Uses, Certifications, and Standards

Energy Star N