

# Eaton LP-CC-6

Catalog Number: LP-CC-6

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 6 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 20 kAIC at 150 Vdc|200 kAIC at 600 V, Melamine tube, Standard, 10



## General specifications

Product Name	Catalog Number
Eaton Bussmann series LP-CC fuse	LP-CC-6
UPC	EAN
051712180344	5027590448109
Product Length/Depth	Product Height
0.41 in	1.5 in
Product Width	Product Weight
0.41 in	0.15 lb
Warranty	Compliances
Not Applicable	CE Marked
	RoHS Compliant

## Product specifications

### Fuse indicator

Non-indicating

### Special features

Non-indicating, High in-rush current motor protection

### Interrupt rating

20 kAIC at 150 Vdc

200 kAIC at 600 Vac

### Number of elements

Dual

### Connection

Ferrule end x ferrule end

### Response time

12 sec at 200%

### Quantity

10

### Material

Melamine tube

### Amperage Rating

6 A

### Type

Current-limiting time-delay fuse

### Class

Class CC

### Voltage rating

600 Vac, 150 Vdc

### Application

Specialized circuits and industrial control

### Packaging type

Standard

## Resources

### Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

LP-CC-6-LOW PEAK CC TIME DELAY

Bussmann series complete full line catalog no. 1007

### Multimedia

Bussmann series Fuseology

### Specifications and datasheets

Eaton Specification Sheet - LP-CC-6

### Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)