

Elliott **E**lectric **S**upply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



LTB20090 2" 90D LT Conn Crouse-Hinds

Catalog Number	LTB20090	
Manufacturer	Crouse-Hinds	
Description	Eaton Crouse-Hinds Series Liquidator Liquidtight Connector, FMC	
	90° Angle, Insulated, Malleable Iron, 2"	
Weight per unit	0.3700 (lbs/each)	
Product Category	Liquid Tight Fittings	
Features		
connection	Threaded	
dimensions	3.9400 IN X 3.0000 IN X 3.9400 IN	
installation type	THREADED	
Material, Color, and Finish		
Color	MALLEABLE IRON	
Descriptions		
Description	2" 90D LT CONN	
extra long description	MIDWEST LTB20090 2 LT 90 DEGREE CON	
Features	Liquidtight fittings from Eaton's Crouse-Hinds Division are	
	designed to protect conductors from mechanical damage due to	
	vibration and movement while sealing out cutting oils, coolants,	
	water, and dust. Typical applications include the wiring of	
	machine tools, motors, transformers, food processing	
	equipment, robotics, air conditioning units and illuminated signs.	
	To meet any customer preference, Crouse-Hinds series	
	liquidtight fittings are available in a variety sizes, configurations	
	and materials, inclu	
Long Description	Eaton Crouse-Hinds series Liquidator liquidtight connector, FMC,	
Product Type	90° angle, Insulated, Malleable iron, 2" 2 LT 90 Degree Conn Insulated	
51	z ET 30 Degree contransulateu	
Manufacturer Information		
Brand	EATON CROUSE-HINDS SERIES	
GTIN	00784564912008	
Manufacturers Part Number	LTB20090	
UPC	784564912008	
Taxonomies, Classifications, and (-	
Category Description	METALLIC FITTINGS	
Туре	Liquidtight connector	
Trade Size		
Trade Size	2 in	



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

11001/0	
PARKA	
Packa	

Fackaying	
Carton	1
Weight Per each	0.37
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Commercial /
	Institutional Buildings / Structures - Other
standard	UL 467, UL 514B, CSA C22.103