



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

LTXES03BC 3/4"X100' LT Flex Metallic Conduit

Abb Installation Products, Inc



| | |
|------------------|---|
| Catalog Number | LTXES03BC |
| Manufacturer | Abb Installation Products, Inc |
| Description | Liquid Tight Flexible Metallic Conduit, Extreme Temperature Range, Galvanised Steel Core With TPR Jacket, Conduit Size 3/4 Inch, Length 30 Meters/100 Feet, Working Temperature -60 to 150 Degrees C, Intermitting to 165 Degrees C, Compliant to Rohs, Black |
| Weight per unit | 0.3900 (lbs/each) |
| Product Category | Liquid Tight Conduit |

Features

| | |
|------------------|------|
| Inside Diameter | 0.82 |
| outside diameter | 1.05 |

Material, Color, and Finish

| | |
|--------|------------|
| Color | Black |
| Finish | TPR Jacket |

Dimensions and Weight

| | |
|--------|------|
| Length | 1200 |
|--------|------|

Descriptions

| | |
|------------------------|---|
| Description | 3/4"X100' LT FLEX METALLIC CONDUIT |
| extra long description | ABB LTXES03B-C LFMC XTMP 3/4IN BLK |
| Features | Extreme temperature, CE compliant Liquid-tight Flexible Metallic Conduits provide excellent performance in extreme low and high temperature environments |
| Long Description | Liquid Tight Flexible Metallic Conduit, Extreme Temperature Range, Galvanised Steel Core with TPR Jacket, Conduit Size 3/4 Inch, Length 30 Meters/100 Feet, Working Temperature -60 to 150 Degrees C, Intermitting to 165 Degrees C, Compliant to RoHS, Black |
| Product Type | LFMC XTMP 3/4IN BLK 30M/100FT |
| Special Features | Designed to meet UL 360 ID/OD dimension requirements |

Manufacturer Information

| | |
|---------------------------|-------------------------|
| Brand | T&B Liquidtight Systems |
| GTIN | 00786210106700 |
| Manufacturers Part Number | LTXES03B-C |
| UPC | 786210106700 |



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

| | |
|----------------------|--|
| Category Description | Liquid Tight |
| Type | Liquid Tight Flexible Metallic Conduit |

Trade Size

| | |
|------------|--------|
| Trade Size | 3/4 in |
|------------|--------|

Packaging

| | |
|-----------------|------|
| Carton | 100 |
| Weight Per each | 0.39 |

Uses, Certifications, and Standards

| | |
|-------------|---|
| Application | Used in extremely high temperature applications such as commercial ovens and refrigeration, industrial furnaces and foundries |
| standard | RoHS |