



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

LTXES06BB 1-1/2"X50' LT FLX MTLC CNDT

Abb Installation Products, Inc

| | |
|------------------|--|
| Catalog Number | LTXES06BB |
| Manufacturer | Abb Installation Products, Inc |
| Description | Liquid Tight Flexible Metallic Conduit, Extreme Temperature Range, Galvanised Steel Core With TPR Jacket, Conduit Size 1-1/2 Inch, Length 15 Meters/50 Feet, Working Temperature -60 to 150 Degrees C, Intermitting to 165 Degrees C, Compliant to Rohs, Black |
| Weight per unit | 1.0 (lbs/each) |
| Product Category | Liquid Tight Conduit |

Features

| | |
|------------------|-------|
| Inside Diameter | 1.575 |
| outside diameter | 1.9 |

Material, Color, and Finish

| | |
|--------|------------|
| Finish | TPR Jacket |
|--------|------------|

Dimensions and Weight

| | |
|--------|-----|
| Length | 600 |
|--------|-----|

Descriptions

| | |
|------------------------|--|
| Description | 1-1/2"X50' LT FLX MTLC CNDT |
| extra long description | ABB LTXES06B-B LFMC XTMP 1-1/2 BLK |
| Features | Extreme temperature, CE compliant Liquid-tight Flexible Metallic Conduits provide excellent performance in extreme low and high temperature environments |
| Long Description | Liquid Tight Flexible Metallic Conduit, Extreme Temperature Range, Galvanised Steel Core with TPR Jacket, Conduit Size 1-1/2 Inch, Length 15 Meters/50 Feet, Working Temperature -60 to 150 Degrees C, Intermitting to 165 Degrees C, Compliant to RoHS, Black |
| Product Type | LFMC XTMP 1-1/2 BLK 15M/50FT |
| Special Features | Designed to meet UL 360 ID/OD dimension requirements |

Manufacturer Information

| | |
|---------------------------|-------------------------|
| Brand | T&B Liquidtight Systems |
| GTIN | 00786210106779 |
| Manufacturers Part Number | LTXES06B-B |
| UPC | 786210106779 |

Taxonomies, Classifications, and Categories

| | |
|----------------------|--|
| Category Description | Liquid Tight |
| Type | Liquid Tight Flexible Metallic Conduit |



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Trade Size

Trade Size 1-1/2 in

Packaging

Carton 50

Weight Per foot 1.04

Uses, Certifications, and Standards

Application Used in extremely high temperature applications such as
commercial ovens and refrigeration, industrial furnaces and
foundries

standard RoHS