



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



P806628 6" Ic/Non-Ic White Step Baffle *Progress Lighting*

| | |
|------------------|--|
| Catalog Number | P806628 |
| Manufacturer | Progress Lighting |
| Description | A Multi-Groove Step Baffle In A White Finish For Use With Insulated Ceilings. 7-3/4 In Outside Diameter. |
| Weight per unit | 0.5000 (lbs/each) |
| Product Category | Lighting Accessories |

Features

| | |
|-----------------|---------------|
| Coating | powdercoat |
| Fixture Type | Recessed Trim |
| indoor/outdoor | Indoor |
| Material | Aluminum |
| pallet quantity | 1600 |
| Power Source | Hardwired |
| Trim Type | Baffle |

Material, Color, and Finish

| | |
|-------|-----------------------|
| Color | White |
| Style | Utilitarian/Commodity |

Dimensions and Weight

| | |
|------|------------------------------|
| Size | 7.75 in x 7.75 in x 4.625 in |
|------|------------------------------|

Descriptions

| | |
|------------------------|--|
| Construction | construction |
| Description | 6" IC/NON-IC WHITE STEP BAFFLE |
| extra long description | PROG P8066-28 P8066-28 STEP BAFFLE |
| Long Description | A multi-groove Step Baffle in a White finish for use with insulated ceilings. 7-3/4 in outside diameter. |
| Product Type | P8066-28 Step Baffle Recsd Trim |

Manufacturer Information

| | |
|---------------------------|----------------|
| Brand | PROGRESS |
| GTIN | 00785247806614 |
| Manufacturers Part Number | P8066-28 |
| UPC | 785247806614 |

Taxonomies, Classifications, and Categories

| | |
|----------------------|---------------------------|
| Category Description | All Recessed Cans & Trims |
| Type | 6in Trim |



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Packaging

| | |
|-----------------|-----|
| Carton | 1 |
| Package | 16 |
| Weight Per each | 0.5 |

Uses, Certifications, and Standards

| | |
|----------|--------|
| standard | UL-CUL |
|----------|--------|