

# Specifications



## Eaton QCD2060

Eaton Quicklag Type QCD Industrial Thermal-Magnetic Circuit Breaker, Industrial circuit breaker, 60 A, 10 kAIC, Two-pole, 120/240 V, Thermal-magnetic, Cable-in/cable-out, QCD, Non-interchangeable

### General specifications

|                             |   |
|-----------------------------|---|
| <b>PRODUCT NAME</b>         | Eaton QC thermal magnetic circuit breaker |
| <b>CATALOG NUMBER</b>       | QCD2060                                   |
| <b>UPC</b>                  | 786679135969                              |
| <b>PRODUCT LENGTH/DEPTH</b> | 4 in                                      |
| <b>PRODUCT HEIGHT</b>       | 3 in                                      |
| <b>PRODUCT WIDTH</b>        | 2 in                                      |
| <b>PRODUCT WEIGHT</b>       | 0.905 lb                                  |
| <b>WARRANTY</b>             | 1 year                                    |
| <b>CERTIFICATIONS</b>       | UL Listed<br>CSA Certified                |



Powering Business Worldwide

## Physical Attributes

|                             |                            |
|-----------------------------|----------------------------|
| <b>CIRCUIT BREAKER TYPE</b> | QCD                        |
| <b>CONNECTION</b>           | Cable-in/cable-out         |
| <b>NUMBER OF POLES</b>      | Two-pole                   |
| <b>TYPE</b>                 | Industrial circuit breaker |

## Performance Ratings

|                         |           |
|-------------------------|-----------|
| <b>AMPERAGE RATING</b>  | 60 A      |
| <b>INTERRUPT RATING</b> | 10 kAIC   |
| <b>TRIP TYPE</b>        | T268      |
| <b>VOLTAGE RATING</b>   | 120/240 V |

## Miscellaneous

|                |                     |
|----------------|---------------------|
| <b>OPTIONS</b> | Non-interchangeable |
|----------------|---------------------|

## Resources

|                                      |   |
|--------------------------------------|---|
| <b>SPECIFICATIONS AND DATASHEETS</b> | <a href="#">Eaton Specification Sheet - QCD2060</a> |
|--------------------------------------|---|

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.



# Specifications



## Eaton QCD2060

Eaton Quicklag Type QCD Industrial Thermal-Magnetic Circuit Breaker, Industrial circuit breaker, 60 A, 10 kAIC, Two-pole, 120/240 V, Thermal-magnetic, Cable-in/cable-out, QCD, Non-interchangeable

### General specifications

|                             |   |
|-----------------------------|---|
| <b>PRODUCT NAME</b>         | Eaton QC thermal magnetic circuit breaker |
| <b>CATALOG NUMBER</b>       | QCD2060                                   |
| <b>UPC</b>                  | 786679135969                              |
| <b>PRODUCT LENGTH/DEPTH</b> | 4 in                                      |
| <b>PRODUCT HEIGHT</b>       | 3 in                                      |
| <b>PRODUCT WIDTH</b>        | 2 in                                      |
| <b>PRODUCT WEIGHT</b>       | 0.905 lb                                  |
| <b>WARRANTY</b>             | 1 year                                    |
| <b>CERTIFICATIONS</b>       | UL Listed<br>CSA Certified                |



Powering Business Worldwide

## Physical Attributes

|                             |                            |
|-----------------------------|----------------------------|
| <b>CIRCUIT BREAKER TYPE</b> | QCD                        |
| <b>CONNECTION</b>           | Cable-in/cable-out         |
| <b>NUMBER OF POLES</b>      | Two-pole                   |
| <b>TYPE</b>                 | Industrial circuit breaker |

## Performance Ratings

|                         |           |
|-------------------------|-----------|
| <b>AMPERAGE RATING</b>  | 60 A      |
| <b>INTERRUPT RATING</b> | 10 kAIC   |
| <b>TRIP TYPE</b>        | T268      |
| <b>VOLTAGE RATING</b>   | 120/240 V |

## Miscellaneous

|                |                     |
|----------------|---------------------|
| <b>OPTIONS</b> | Non-interchangeable |
|----------------|---------------------|

## Resources

|                                      |   |
|--------------------------------------|---|
| <b>SPECIFICATIONS AND DATASHEETS</b> | <a href="#">Eaton Specification Sheet - QCD2060</a> |
|--------------------------------------|---|

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

