

Specifications

Eaton RES-10

Eaton Bussmann series RES fuse, time lag, non current-limiting, Industrial and commercial structures, 10 A, Class H, Non-indicating, Ferrule end x ferrule end, 10 kAIC at 250 Vac, Standard, 10, 600 V



Photo is representative



General specifications

| | |
|----------------------|--------------------------------|
| PRODUCT NAME | Eaton Bussmann series RES fuse |
| CATALOG NUMBER | RES-10 |
| UPC | 051712110105 |
| PRODUCT LENGTH/DEPTH | 5 in |
| PRODUCT HEIGHT | 0.81 in |
| PRODUCT WIDTH | 0.81 in |
| PRODUCT WEIGHT | 0.18 lb |
| WARRANTY | Not Applicable |
| COMPLIANCES | Not Applicable |



Powering Business Worldwide

| Electrical rating | |
|-------------------|--------------------|
| AMPERAGE RATING | 10 A |
| INTERRUPT RATING | 10 kAIC at 250 Vac |
| VOLTAGE RATING | 600 V |

| General information | |
|---------------------|---|
| CLASS | Class H |
| CONNECTION | Ferrule end x ferrule end |
| FUSE INDICATOR | Non-indicating |
| QUANTITY | 10 |
| SPECIAL FEATURES | Super lag, time lag, non current-limiting |

| Physical details | |
|------------------|----------|
| PACKAGING TYPE | Standard |

| Resources | |
|-------------------------------|---|
| CATALOGS | Bussmann series complete full line catalog no. 1007 RES-10~SUPER LAG RENEWABLE FUSE 10/600 |
| MULTIMEDIA | Bussmann series Fuseology |
| SPECIFICATIONS AND DATASHEETS | Eaton Specification Sheet - RES-10 |

| |
|-----------------|
| PROJECT NAME: |
| PROJECT NUMBER: |
| PREPARED BY: |
| DATE: |



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark. Follow us on social media to get the latest product and support information.
All other trademarks are property of their respective owners.



Specifications

Eaton RES-10

Eaton Bussmann series RES fuse, time lag, non current-limiting, Industrial and commercial structures, 10 A, Class H, Non-indicating, Ferrule end x ferrule end, 10 kAIC at 250 Vac, Standard, 10, 600 V



Photo is representative



General specifications

| | |
|----------------------|--------------------------------|
| PRODUCT NAME | Eaton Bussmann series RES fuse |
| CATALOG NUMBER | RES-10 |
| UPC | 051712110105 |
| PRODUCT LENGTH/DEPTH | 5 in |
| PRODUCT HEIGHT | 0.81 in |
| PRODUCT WIDTH | 0.81 in |
| PRODUCT WEIGHT | 0.18 lb |
| WARRANTY | Not Applicable |
| COMPLIANCES | Not Applicable |



Powering Business Worldwide

| Electrical rating | |
|-------------------|--------------------|
| AMPERAGE RATING | 10 A |
| INTERRUPT RATING | 10 kAIC at 250 Vac |
| VOLTAGE RATING | 600 V |

| General information | |
|---------------------|---|
| CLASS | Class H |
| CONNECTION | Ferrule end x ferrule end |
| FUSE INDICATOR | Non-indicating |
| QUANTITY | 10 |
| SPECIAL FEATURES | Super lag, time lag, non current-limiting |

| Physical details | |
|------------------|----------|
| PACKAGING TYPE | Standard |

| Resources | |
|-------------------------------|---|
| CATALOGS | Bussmann series complete full line catalog no. 1007 RES-10~SUPER LAG RENEWABLE FUSE 10/600 |
| MULTIMEDIA | Bussmann series Fuseology |
| SPECIFICATIONS AND DATASHEETS | Eaton Specification Sheet - RES-10 |

| |
|-----------------|
| PROJECT NAME: |
| PROJECT NUMBER: |
| PREPARED BY: |
| DATE: |



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark. Follow us on social media to get the latest product and support information.
All other trademarks are property of their respective owners.

