



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



SC10 Buss SC Fuse Class G Class G

Bussmann Fuses

Catalog Number	SC10
Manufacturer	Bussmann Fuses
Description	Eaton Bussmann Series SC Fuse, Current-Limiting Time-Delay Fuse, Rejection Style, 10 A, Class G, Non-Indicating, Ferrule End X Ferrule End, 12 Sec At 200%, 100 Kaic At 600 Vac, 10 Kaic At 170 VDC, Standard, 600 V, 170 VDC
Weight per unit	0.1000 (lbs/each)
Product Category	Dual Element

Features

amperage rating	10 Amp
class	G
connection	Ferrule End X Ferrule End
dimensions	1.3100 IN X 0.4100 IN X 0.4100 IN
interrupt rating	100000 Amp (RMS Symmetrical), 10000 Amp (DC)
media	Yes
Voltage Rating	600 Vac, 170 Vdc

Dimensions and Weight

Size	0.41 In Diameter X 1.31 In Length
------	-----------------------------------

Descriptions

Description	BUSS SC FUSE CLASS G CLASS G
extra long description	BUSS SC-10 BUSS SC FUSE CLASS G CLA
Features	Bussmann's SC type fuses are UL Class G and provide fast-acting (1/2-6 A) and time-delay (7-60 A) characteristics for circuit protection need. SC fuses are size rejecting in terms of their overall length thereby aiding in the prevention of overfusing
Long Description	Eaton Bussmann series SC fuse, Current-limiting time-delay fuse, Rejection style, 10 A, Class G, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 100 kAIC at 600 Vac, 10 kAIC at 170 Vdc, Standard, 600 V, 170 Vdc
Product Type	Buss SC Fuse Class G Class G
Special Features	Rejection Style

Manufacturer Information

Brand	Eaton Bussmann series
GTIN	00051712250108
Manufacturers Part Number	SC-10
UPC	051712250108



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	GLASS FUSES (and ceramic)
Type	FUSE

Packaging

Carton	1
Package	10
Weight Per each	0.1

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Facility: Safety and Security Systems
standard	RoHS Compliant