

Specifications

Photo is representative

Eaton SPD2K0225

Eaton NEMA 1 Surface mount, Accepts PD2, 3-Pole, 225A frame MCCB

General specifications

PRODUCT NAME	Eaton enclosed circuit breaker
CATALOG NUMBER	SPD2K0225
UPC	786689661854
PRODUCT LENGTH/DEPTH	23.8 in
PRODUCT HEIGHT	9 in
PRODUCT WIDTH	9 in
PRODUCT WEIGHT	14.3 lb
CERTIFICATIONS	CSA Certified UL Listed
CATALOG NOTES	Power Defense Enclosure - not approved for Series C/G MCCB



Product specifications

TYPE	CIRCUIT BREAKER ENCLOSURE
AMPERAGE RATING	225 A
ENCLOSURE	NEMA 1
MOUNTING METHOD	Surface mounting
NUMBER OF POLES	Three-pole

Resources

SPECIFICATIONS AND DATASHEETS [Eaton Specification Sheet - SPD2K0225](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.



Specifications

Photo is representative

Eaton SPD2K0225

Eaton NEMA 1 Surface mount, Accepts PD2, 3-Pole, 225A frame MCCB

General specifications

PRODUCT NAME	Eaton enclosed circuit breaker
CATALOG NUMBER	SPD2K0225
UPC	786689661854
PRODUCT LENGTH/DEPTH	23.8 in
PRODUCT HEIGHT	9 in
PRODUCT WIDTH	9 in
PRODUCT WEIGHT	14.3 lb
CERTIFICATIONS	CSA Certified UL Listed
CATALOG NOTES	Power Defense Enclosure - not approved for Series C/G MCCB



Product specifications

TYPE	CIRCUIT BREAKER ENCLOSURE
AMPERAGE RATING	225 A
ENCLOSURE	NEMA 1
MOUNTING METHOD	Surface mounting
NUMBER OF POLES	Three-pole

Resources

SPECIFICATIONS AND DATASHEETS [Eaton Specification Sheet - SPD2K0225](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

