

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



STAG7 2-1/2" Alu Ins Ground Hub *Crouse-Hinds*

(The	
Catalog Number	STAG7
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Myers Ground Hub, Aluminum, 2-1/2"
Weight per unit	0.0162 (lbs/each)
Product Category	Aluminum
Features	
connection	Threaded
dimensions	3.7200 IN X 3.0500 IN X 3.7200 IN
Material	360 Aluminum
Material, Color, and Finish	
Finish	Natural
Dimensions and Weight	
Size	2-1/2 in
Descriptions	
Description	2-1/2" ALU INS GROUND HUB
extra long description	MYERS STAG 7 CH MYERS 2 1/2 ALUM GR
Features	Crouse-Hinds series Myers hubs are used in the termination of
	electrical circuits through wall of an enclosure. They are
	designed for use indoors or outdoors with rigid conduit and IMC,
	and they are ideal for pharmaceutical, chemical and food
	processing, pulp/paper, nuclear, solar and commercial
Long Description	construction applications. Eaton Crouse-Hinds series Myers ground hub, Aluminum, 2-1/2"
Long Description Product Type	CH Myers 2 1/2 Alum Ground Hub
Special Features	Vibration Proof, Ground Wire Size 6 AWG (CSA), 2 AWG (UL),
Special Features	Weight 90 Lb per 100
Manufacturer Information	少 0000000 (F000000000000000000000000000000000000
Brand	Eaton
GTIN	00784731101112
Manufacturara Dart Number	STAG 7

UPC 784731101112 **Taxonomies, Classifications, and Categories**

Category Description	SERVICE ENTRANCE FITTINGS: Weatherheads & Grounding
	Fittings & Ground Rods
Type	Ground Hub



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging	
Carton	1
Package	5
Weight Per each	0.0162
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Commercial /
	Institutional Buildings / Structures - Other
Enclosure	NEMA 2/3/3R/4/4X/12

UL 514B, CUL, CSA C22.2