

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



standard

## STC3104 3/0 Cu Lug Abb Installation Products, Inc

| Catalog Number                       | STC3104  |
|--------------------------------------|--|
| Manufacturer                         | Abb Installation Products, Inc   |
| Description                          | Type STC - Copper Single-Conductor, One-Hole Mount (Straigh Tang) For Conductor Range 4 STR-3/0 STR, Length 2-1/4 Inches Width 3/4 Inch, Height 1-9/16 Inches  |
| Weight per unit                      | 0.1600 (lbs/each)  |
| Product Category                     | Large Terminals & Connectors   |
| eatures                              |  |
| Material                             | Copper   |
| escriptions                          |  |
| Description                          | 3/0 CU LUG   |
| extra long description               | ABB STC3104 CU 1CNDTR 1HL MNT TANG   |
| Long Description                     | Type STC - Copper Single-Conductor, One-Hole Mount (Straigh Tang) for Conductor Range 4 Str-3/0 Str, Length 2-1/4 Inches, Width 3/4 Inch, Height 1-9/16 Inches |
| Product Type                         | Cu 1CNDTR 1HL MNT Tang 4STR-3/0STR   |
| Special Features                     | Uniquely designed pressure bar and notched v-bottom collar provide vise-like grip between conductor and terminal   |
| lanufacturer Information             |  |
| Brand                                | Blackburn Mechanical   |
| GTIN                                 | 00783786134250   |
| Manufacturers Part Number            | STC3104  |
| UPC                                  | 783786134250   |
| axonomies, Classifications, and Cate | gories   |
| Category Description                 | TERMINALS  |
| Type                                 | Copper Connectors  |
| ackaging                             |  |
| Carton                               | 5  |
| Package                              | 90   |
| Weight Per each                      | 0.16   |

UL E9809