

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Packaging Carton

Weight Per each

SVX005A14A1B2 SVX9000 5HP 480V NEMA1 W/BR Chop Alfa PNL W/Conf C

Eaton Corp	•
Catalog Number	SVX005A14A1B2
Manufacturer	Eaton Corp
Description	Eaton SVX Adjustable Frequency Drive, 5HP, Nema Type 1/IP21, 480V, FR4, Three-Phase, Emc H, Standard Software, A/N Keypad, Internal Brake Chopper, Varnished Boards
Weight per unit	13.8 (lbs/each)
Product Category	Ac Drives
Features	
dimensions	7.5000 IN X 5.0000 IN X 12.9000 IN
keypad	Alphanumeric
Descriptions	
Description	SVX9000 5HP 480V NEMA1 W/BR CHOP ALFA PNL W/CONF C
extra long description	ETN SVX005A1-4A1B2 SVX9000 5HP 480V
Features	Demand more accurate speed control. Eaton's SVX series of
	variable frequency drives offer sensorless vector control
	technology coupled with an adaptive motor model and
	sophisticated ASIC circuit features. This technology allows for
	steady speed error, fast torque rise time, high immunity to
	resonance vibrations and high starting torque and current. The
	SVX9000 is suitable for multiple motor drive systems and
	high-speed applications.
Long Description	Eaton SVX adjustable frequency drive, 5HP, NEMA Type 1/IP21, 480V, FR4, Three-phase, EMC H, Standard Software, A/N keypad, Internal brake chopper, Varnished Boards
Product Type	SVX9000 5HP 480V N1 BC Alfa W/Conf Coat
Manufacturer Information	SVX/2000 STILL TOO VIVI DO AMA VV/ COME COUL
Drand	Eaton
GTIN	00782116103829
Manufacturers Part Number	SVX005A14A1B2
UPC	782116103829
Taxonomies, Classifications, and (
Category Description	DDIVEC
Type	
• .	ായും അത്തെ അവരം വിത്രത്തെ ു ാന് വാര്
Availability Status	Inactive
Jiaius	mactive

1 13.77

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial /
	Institutional Buildings / Structures - Other
standard	IEC 61800-2,UL 508C,EN 61800-3 Level H,Contact Manufacturer