

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Weight Per each

## TJN600 600A 160V Class T Fast Acting Nema 1 Fuse

Edison Fuses	
Catalog Number	TJN600
Manufacturer	Edison Fuses
Description	Eaton Edison TJN Fuse, Very Fast-Acting Fuse, 600 A, Class T, Non-Indicating, 20 Kaic, Standard, 1, 160 VDC
Weight per unit	0.4000 (lbs/each)
Product Category	Renewable & Non-Renewable
eatures	
amperage rating	600 A
class	Olasa T
dimensions	3.0600 IN X 1.6000 IN X 1.6000 IN
interrupt rating	20 kAIC
media	Yes
Voltage Rating	160 Vdc
escriptions estimates and the second estimates are second estimates and the second estimates are second estimates and the second estimates and the second estimates are second estimates are second estimates and the second estimates are second estimates a	
Description	600A 160V CLASS T FAST ACTING NEMA 1 FUSE
extra long description	EFSE TJN600 CLASS T FAST ACTING 300
Features	Edison's Class T current-limiting, fast-acting fuses. Provides 10X better current limitation to help prevent equipment damage caused by short-circuit events. 200 kA Interrupting rating complies with NEC Section 110.9 for today's large capacity systems. Small, space-saving fuses provide a high degree of current limitation on short-circuits for excellent component protection.
Long Description	Eaton Edison TJN fuse, Very fast-acting fuse, 600 A, Class T, Non-indicating, 20 kAIC, Standard, 1, 160 Vdc
Product Type	Class T Fast Acting 300V
Manufacturer Information	
Brand	EDISON
GTIN	00782634646006
Manufacturers Part Number	TJN600
UPC	782634646006
axonomies, Classifications, and (	Categories
Category Description	Fuses & Fuse Accessories
Туре	FUSE
Packaging	
Carton	1
VII (VII	

0.4

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

## **Uses, Certifications, and Standards**

Application	Datacenters - Facilities: Critical Power
standard	UL Listed,CSA Certified,RoHS Compliant