

# Ceiling Fan Boxes & Supports

## CEILING FAN BOXES & SUPPORTS – CUBIC INCH CAPACITY (SEE BELOW)

### UL LISTED

Weight limits:

TP261 – 35 lbs. max. for fans; 50 lbs. max. for fixture.

TP301 – Fan is supported independent of outlet box. Mounting screws go through box and into joist. Box will support fans up to 70 lbs. and fixtures up to 90 lbs.

TP275 – 70 lbs. max. for fans; 90 lbs. max. for fixtures.



TP275



TP261



TP301



TP315



TP379



TP352

Cat. #	Description	Stud Spacing	Capacity Cu. In.	Knockouts		Unit Qty.	Wt. Lbs. Per 100	Weight Limits (Lbs.)	
				Sides	Bottom			Fans	Fixtures
TP275	1 1/2" Deep, Clamps and Mounting Screws (Polybagged)	-	15.5	4 - Cable, 2 - 1/2"	1 - 1/2"	20	66.6	70	90
TP315†	1 1/2" Deep Octagon, Fan Box with New Work Bar Hanger	16" - 24"	15.5	2 - 1/2"	2 - 1/2"	12	192.0	35	50
TP379	1 1/2" Deep with Fan Brace Old Work Bar Hanger	16" - 24"	15.5	4 - 1/2"	2 - 1/2"	12	207.0	35	50
TP261	5/8" Deep with External Clamp and Mounting Screws (Polybagged)	-	8.0	-	2 - 1/2"	20	50.0	35	50
TP301*	1/2" Deep, 4" Round, with NM Snap-in Connector, Mtg. Screws, Protective Cover (No Bag)	-	6.0	-	3 - 1/2"	20	51.0	70*	90*

\*TP301 Fan is supported independent of outlet box.

†TP315 comes with Romex clamp installed on one side. The other three sides have a 1/2" KO, a bagged MC clamp and screw, and a bagged plastic NM connector.

Steel Boxes

## ADJUSTABLE BAR HANGERS


Cat. #	Stud Spacing	Fan Rated	16" Fan Weight (Lbs.)	24" Fan Weight (Lbs.)	Fixture Rated	16" Fixture Weight (Lbs.)	24" Fixture Weight (Lbs.)	Unit Qty.	Wt. Lbs. Per 100
TP352	16" - 24"	Yes	70	-	Yes	90	50	50	34.1

# Ceiling Fan Boxes & Supports

## CEILING FAN BOXES – PVC

### UL LISTED

Weight limits: fans and fixtures are supported independent of outlet box. Mounting screws go through box and into joist. Box will support up to 70 lbs. for fans and 90 lbs. for fixtures. Provided with Romex connector.



TP1300

Cat. #	Description	Capacity Cu. In.	Knockouts	Integral Clamp	Unit Qty.	Wt. Lbs. Per 100
TP1300	4 <sup>1</sup> / <sub>16</sub> " Dia., 1/2" Deep Pan Section, 4" Deep Overall – with Mtg. Hardware and External Clamp, Protective Cover	14.0	3 - 1/2"	1	24	34

## NON-METALLIC CEILING FAN BOXES

### 2<sup>3</sup>/<sub>16</sub>" DEEP

### UL LISTED

With clamps for non-metallic cable.

All mounting hardware supplied; suitable for support of fans weighing up to 35 lbs.

### Features:

- Made of heavy duty, engineered thermoplastic material
- Offers the labor saving feature of quick entry and integral clamping
- Eliminates the need to use a screwdriver to break open pry-outs
- The easy access entry point serves as a wire clamp, eliminating time required to mechanically secure the wire to the box



TP16511

Cat. #	Diameter	Mounting Method	Capacity Cu. In.	No. of Clamp Openings	Unit Qty.	Wt. Lbs. Per 100
TP16511	4"	Nails Only	22.5	6	25	21

Steel Boxes

# Ceiling Fan Boxes & Supports

## CEILING FAN BOXES & SUPPORTS – CUBIC INCH CAPACITY (SEE BELOW)

### UL LISTED

Weight limits:

TP261 – 35 lbs. max. for fans; 50 lbs. max. for fixture.

TP301 – Fan is supported independent of outlet box. Mounting screws go through box and into joist. Box will support fans up to 70 lbs. and fixtures up to 90 lbs.

TP275 – 70 lbs. max. for fans; 90 lbs. max. for fixtures.



TP275



TP261



TP301



TP315



TP379



TP352

Cat. #	Description	Stud Spacing	Capacity Cu. In.	Knockouts		Unit Qty.	Wt. Lbs. Per 100	Weight Limits (Lbs.)	
				Sides	Bottom			Fans	Fixtures
TP275	1 1/2" Deep, Clamps and Mounting Screws (Polybagged)	-	15.5	4 - Cable, 2 - 1/2"	1 - 1/2"	20	66.6	70	90
TP315†	1 1/2" Deep Octagon, Fan Box with New Work Bar Hanger	16" - 24"	15.5	2 - 1/2"	2 - 1/2"	12	192.0	35	50
TP379	1 1/2" Deep with Fan Brace Old Work Bar Hanger	16" - 24"	15.5	4 - 1/2"	2 - 1/2"	12	207.0	35	50
TP261	5/8" Deep with External Clamp and Mounting Screws (Polybagged)	-	8.0	-	2 - 1/2"	20	50.0	35	50
TP301*	1/2" Deep, 4" Round, with NM Snap-in Connector, Mtg. Screws, Protective Cover (No Bag)	-	6.0	-	3 - 1/2"	20	51.0	70*	90*

\*TP301 Fan is supported independent of outlet box.

†TP315 comes with Romex clamp installed on one side. The other three sides have a 1/2" KO, a bagged MC clamp and screw, and a bagged plastic NM connector.

Steel Boxes

## ADJUSTABLE BAR HANGERS


Cat. #	Stud Spacing	Fan Rated	16" Fan Weight (Lbs.)	24" Fan Weight (Lbs.)	Fixture Rated	16" Fixture Weight (Lbs.)	24" Fixture Weight (Lbs.)	Unit Qty.	Wt. Lbs. Per 100
TP352	16" - 24"	Yes	70	-	Yes	90	50	50	34.1

# Ceiling Fan Boxes & Supports

## CEILING FAN BOXES – PVC

### UL LISTED

Weight limits: fans and fixtures are supported independent of outlet box. Mounting screws go through box and into joist. Box will support up to 70 lbs. for fans and 90 lbs. for fixtures. Provided with Romex connector.



TP1300

Cat. #	Description	Capacity Cu. In.	Knockouts	Integral Clamp	Unit Qty.	Wt. Lbs. Per 100
TP1300	4 <sup>1</sup> / <sub>16</sub> " Dia., <sup>1</sup> / <sub>2</sub> " Deep Pan Section, 4" Deep Overall – with Mtg. Hardware and External Clamp, Protective Cover	14.0	3 - <sup>1</sup> / <sub>2</sub> "	1	24	34

## NON-METALLIC CEILING FAN BOXES

### 2<sup>3</sup>/<sub>16</sub>" DEEP

### UL LISTED

With clamps for non-metallic cable.

All mounting hardware supplied; suitable for support of fans weighing up to 35 lbs.

### Features:

- Made of heavy duty, engineered thermoplastic material
- Offers the labor saving feature of quick entry and integral clamping
- Eliminates the need to use a screwdriver to break open pry-outs
- The easy access entry point serves as a wire clamp, eliminating time required to mechanically secure the wire to the box



TP16511

Cat. #	Diameter	Mounting Method	Capacity Cu. In.	No. of Clamp Openings	Unit Qty.	Wt. Lbs. Per 100
TP16511	4"	Nails Only	22.5	6	25	21

Steel Boxes