

PASS & SEYMOUR®

COMMERCIAL & INDUSTRIAL PRODUCTS



MORE DEVICES. MORE SOLUTIONS.
MORE PRODUCTIVITY.

designed to be better.™

 **legrand**®

A heritage of innovation & reliability.

Legrand® has been a consistent source of innovation to help customers like you achieve ever-greater levels of speed, ease, and consistency.

It started in 1890 by introducing the industry's first porcelain insulation. We followed with something even bigger — our invention of the Pass & Seymour® GFCI Receptacle — which set new industry standards for safety and performance. More recently, PlugTail™ wiring devices, including receptacles, GFCIs, sensors, switches, and SPDs, dramatically reduce the time and labor of installation, giving you greater productivity and a sharper competitive edge. And then there are Titan™ Commercial Dimmers, which come with modular wall plate components to eliminate the cost and delays of custom wall plates.

This ability to understand your needs and respond with real answers has never been stronger, now that our heritage of innovation is joined with Legrand, the global specialist in solutions for electrical installations and information networks in commercial, industrial, and residential markets.





SOLUTIONS THAT GIVE YOU A COMPETITIVE EDGE.

Time, costs, labor, deadlines, codes, regulations, safety, and competition — they're facing you on every job. And they keep changing, constantly posing new challenges to productivity and profitability.

Legrand understands. It's our mission to see the need, develop the answer, and engineer the products that will provide you with faster installation,

fewer errors, ergonomic operation, and uncompromising durability to overcome harsh conditions and constant use. So you can maintain the competitive edge that is so critical to success in today's environment.

That's why every product in this brochure is designed to give you the absolute maximum in performance, energy management, and productivity.



PERFORMANCE

Legrand is a leader in safety solutions for the wiring device markets, with Pass & Seymour products that install easily and perform reliably under harsh conditions and heavy usage.

Portable power solutions for demanding jobsite applications that require temporary power, including high-quality plugs and connectors like Turnlok®, Ground Continuity Monitoring (GCM), Clamp-Lock™, and Straight Blade, all supported by Flexcor® Wire Mesh Grips.

GREEN PRACTICES

Legrand can help you “go green” in all kinds of ways. Our affiliation with the United States Green Building




Council is underscored by a complete line of lighting controls that save energy and money and are fully compatible with the “Smart Building” initiative. You can also order devices in bulk packaging to minimize or even eliminate waste on the job site while speeding up productivity. And the ongoing sustainable design of our products means you’re using fewer resources to get the job done right.

PRODUCTIVITY

Competition is intense, especially in the fields of education, government, and healthcare. Which is why having Legrand as your partner has never been more valuable. We offer you the most diverse and comprehensive product family to meet not just the criteria for high-performance building, but for all NAFTA trade requirements. And they all come with an ease of installation that lets you get more jobs done in less time, for more profitability.

Legrand® offers an unparalleled selection of **durable Pass & Seymour products that help you do the job right** the first time and move on confidently to the next.

Safe, dependable, compliant solutions for every healthcare application.



PlugTail™ Hospital Grade Receptacles

- Fastest, most error-free installation
- Uncompromising dependability
- Minimal-downtime replacement
- LED illuminated available

PT8300ILRED



APPLICATION TIP ...

Illuminated receptacles for emergency circuits to ID receptacles in emergency situations.



PlugTail™ Tamper-Resistant GFCI Combinations

- TR models provide the only single-device solution to meet NEC® requirements for pediatric care areas
- LED makes it easy to spot a tripped connection
- Added safety, ideal for bathrooms

PT2095HGNTLW

CODE TIP ...

Tamper-Resistant solutions meet NEC® section 517.18(C) requirements in pediatric-care areas.



Hospital-Grade USB Charger with Tamper-Resistant Receptacle

- Available in 15A and 20A 125V versions
- Charge two devices at once while still using receptacle
- Carries Hospital Grade certification

TR8301USBW



Extra-Heavy-Duty Hospital Grade MRI Receptacles

- Built with no ferrous metals so they are perfect for high-magnetic-field environments such as magnetic-resonance imaging (MRI)
- Extremely durable


8300LAMRI



Hospital Grade Plugs and Connectors

- Easy wiring
- Superior cord retention
- Internal dust shield

PS5269XHG, PS5266XHG



SPEC TIP ...

Hospital Grade receptacles meet rigid test requirements for abrupt removal, ground contact overstress, impact resistance, and assembly integrity. They are marked on the face with FSUL.



Metal Plates

- Great look in brushed or polished solid brass and stainless steel
- High impact resistance

SB8PB, SS1

SPEC TIP ...

Specify nickel-plated devices for premium corrosion resistance.



PlugTail™ Switches

- Switch features large brass terminal blades for easy connection
- Glass-reinforced nylon back body
- One-piece nickel-plated strap

PT20AC1



CODE TIP ...

Hospital grade receptacles are required in patient care/critical care areas; NEC® 517.18(b) and 517.19(b).

Hospital Grade Surge Protective Receptacles

- LED indicator light
- Back and side wire
- Audible alarm with ability to turn ON/OFF

8300BLSP

OTHER SUGGESTED PRODUCTS



Titan™ Dimmers

- Custom wall plates with identifiable circuit labels provided

Heavy-Duty Isolated Ground Receptacles

- Ideal for sensitive electronics like monitoring equipment



Commercial Wall Box Sensors

- Built-in light level sensing with simple, one-step setup with adjustable sensitivity
- Auto-adjustable time delays
- LED indicates occupancy detection

OSR300SW



Quad Receptacles

- Outward-facing ground terminals make handling up to four plugs easy and convenient
- Split circuit break-off tabs
- Built-in wire stripping gauge

IG420H

Rugged, reliable devices for harsh industrial environments.



Safety Switches & IEC 309 Industrial Products

- Maximum durability for minimum downtime
- Quick, no-guesswork wiring
- Guaranteed interchangeability with IEC products

SPEC TIP . . .

Pin & Sleeve devices are ideal for wind turbines with higher voltage and amp ratings.



Flexcor® Wire Mesh Grips

- Strain relief grips
- Support grips
- Pulling grips

CG610



Industrial/Extra-Heavy-Duty Switches and Receptacles

- Patented, external screw-pressure-plate wiring speeds installation for both
- Locking support provides resistance to face and back body separation

PS20AC1RED, 5362ALA

SPEC TIP . . .

Specify Industrial Grade Switches or Receptacles in harsh, demanding facility environments.

APPLICATION TIP . . .


Turnlok® plugs and connectors are required for generator power hookups and portable power solutions.



Turnlok® Locking Plugs & Connectors

- Quick-thread assembly screws and cord-grip screws install 3x faster
- Internal dust seal for corrosive protection
- Impact- and corrosion-resistant nylon

L630C, L630P



Extra-Hard Use Ground Continuity Monitoring (GCM) Plugs & Connectors

- Indication of ground continuity and power status
- LED indicators with 360 degree visibility
- Superior cord retention

PS5266XGCM, PS5269XGCM




PlugTail™ Extra-Heavy-Duty Specification Grade Receptacles

- No exposed terminals
- Impact-resistant polycarbonate housing

PT5362AW

OTHER SUGGESTED PRODUCTS




Rubber Waight Plugs and Connectors

- Rugged performers for washdown equipment



Non-Fusible Safety Switches

- UL listed as "suitable as motor disconnect" to protect in emergency situations



Rotary Fan Speed Controls

- Full-on bypass eliminates heat build-up

EDUCATIONAL SETTINGS

Safe, durable, energy-efficient solutions for every school environment.




SPEC TIP . . .

Specify glass-reinforced nylon switch back bodies for durability and strongest switch available.

PlugTail™ Switches

- Switch features large brass terminal blades for easy connection
- Glass-reinforced nylon back body
- One-piece nickel-plated strap

PT20AC1



APPLICATION TIP . . .

When you need to save space in the box, PlugTail™ Angle Connectors offer a simple, effective solution.



Fed Spec USB Chargers with Tamper-Resistant Receptacle

- Two USB "A" style charging outlets plus a 20-amp TR receptacle
- Charge two devices at once while still using receptacle
- Ensure charging convenience and safety

TR5361USBW



PlugTail™ Tester

- Enables user to quickly test both the connector and receptacle
- Fast, easy identification of circuit connections
- Easy-to-see indicator lights

PT-Tester



SPEC TIP . . .

PlugTail™ devices meet Fed Spec Performance Standard WC-596 — FSUL clearly marked on receptacle covers.

Isolated Ground Receptacles

- Ideal for sensitive electronics
- Complies with NEC® 410-56 and 25074 exception 4

PTIG5362



APPLICATION TIP . . .

Titan Dimmers have adjustable high end output limit control (incandescent), or low end output limit control (low voltage, fluorescent).



Titan™ Dimmers

- Built-in label holder enables instant circuit identification
- Power-failure memory retains presets thru power outages
- Specify 700, 1100 or 1600 watts for larger load capacity

CD703PW



Surge Protection Panels

- Protect microprocessor equipment sensitive to momentary spikes and surges that occur daily
- Protect load balances from being affected by over-current
- Provide premise-wide protection from electrical surges

2748-TWH, 1224-SL, 1224-SM



Tamper-Resistant Extra-Heavy-Duty Straight Blade Receptacles

- Strap tabs lock the face to the body of the device to prevent separation
- Include patented PlugTail™ versions for finger safe, dependable installations every time

TR63W



Tamper-Resistant Extra-Heavy-Duty Surge Protective Receptacles

- Protect computers and lab equipment
- Exceptional surge protection and convenience
- Wrap-around steel strap

TR5362WSP

OTHER SUGGESTED PRODUCTS



Portable GFCIs

- Perfect for jobsite construction

Occupancy Sensor

- Save energy by controlling costs in the classroom

Industrial Extra-Heavy-Duty Lock Switches

- One key furnished with each switch to best monitor light use

Clock Hanger Receptacle

- Recessed receptacle allows clock to hang flush to the wall

Choose from a wide range of devices that save energy and protect critical equipment.



APPLICATION TIP . . .

For maximum safety, patented SafeLock™ Protection shuts off power to the receptacle if there's a ground fault, if there's a miswire, or if GFCI protection is compromised.



PlugTail™ GFCI Spec Grade Receptacles

- SafeLock™ Protection
- No exposed terminals
- LED makes it easy to spot a tripped connection

PT2095LA



PlugTail™ Isolated Ground Specification Grade Duplex Receptacles

- No exposed terminals
- Auto-ground clip ensures grounding or provides redundant grounding in pipe and wire applications

PTIG5362

SPEC TIP . . .

Specify isolated ground receptacles to eliminate EMI interference in computer labs.



PlugTail™ Specification Grade Receptacles

- Unmatched installation speed and consistency
- Installs 3x faster than conventional devices
- No exposed terminals

PT5362W



Ultrasonic Ceiling Mount Sensors

- PIR, Ultrasonic or Dual Technology design
- Versatile control — combine sensors to cover large areas
- Adjustable sensitivity

CSU600W

SPEC TIP . . .

Pass & Seymour commercial devices are positioned to meet trade agreement requirements.



Tamper-Resistant Duplex Receptacles

- Dual mechanical shutter system
- Corrosion-resistant, plated-steel strap

TR5362



Weather-Resistant Straight Blade Duplex Receptacles

- Weather-resistant products are required by code on new outdoor commercial construction
- Corrosion-resistant, plated-steel strap

WR5362W



Fed Spec USB Charger with Tamper-Resistant Receptacle

- Two USB "A" style charging outlets plus a 20-amp TR receptacle
- Charge two devices at once while still using receptacle
- Ensure charging convenience and safety

TR5361USBW

OTHER SUGGESTED PRODUCTS



Stainless Steel Wall Plates

- Spec Grade stainless steel wall plates are ideal for hard-use and corrosive applications



Weatherproof WIU Covers

- Meet NEC® requirements for outdoor power



Security Switches

- Operated by cam lock for maximum security in critical areas

Flexcor® Pulling Grip Kit

- Light-duty, standard length, flexible eye kit contains pulling grips for many applications

Help generate excitement with versatile solutions for fairs, carnivals, concerts, casinos and sports venues.



Cam-Type Devices

- Uncompromising quality and performance
- Interchangeable with other manufacturers' cam-type devices
- Weatherproof connection

PS40MBBK, PS40FBBK

APPLICATION TIP . . .

Cam-type devices provide fast, easy connections for stage and sound needs.

APPLICATION TIP . . .

PlugTail™ Receptacles and Switches minimize downtime for busy theme parks and casinos.



PlugTail™ Specification Grade Receptacles

- No exposed terminals increases safety in all phases of installation and use
- Tamper-resistant models meet code requirements

PT26352, PTTTR26262W

PlugTail™ Spec Grade Switches

- Shallow design for easier installation
- Illuminated solutions for pilot and lighted applications
- No exposed parts for finger-safe application

PT2621



Clamp-Lock™ Straight Blade Plugs and Connectors

- Color-coded levers enable terminal identification and reduce the chance of wiring errors
- Speedy, patented cam-lever termination provides solid, dependable connections
- Self-centering cord grip helps speed assembly

PS515CCLB, PS515PCLB



Industrial Spec Grade Turnlok® Locking Devices

- Tri-drive assembly screws
- Double-wipe power contacts withstand work-site abuse and ensure lasting blade retention
- Easy-grip contour molded into back body prevents hand slippage

PSL515C, PSL515P

OTHER SUGGESTED PRODUCTS



Isolated Ground Receptacles

- Overcurrent protection of all sensitive electronic components

Watertight Plugs and Connectors

- Multiple ring seals between plug and connector ensure protection from water and other contaminants



Dust and Moisture Resistant Receptacles

- Neoprene gasket slit to provide wiping action on plug blades and positive closure when not in use



Flexcor® Fiber Optic Support Grips

- Reduce stress on fragile cables in vertical or sloping runs
- Nonmagnetic tinned bronze wire
- Available in single eye and locking bale configurations

FF018

Find complete product information at www.legrand.us/PassandSeymour

Save energy, protect equipment with the stylish look and feel for offices and stores.

APPLICATION TIP . . .

Use Pass & Seymour 1200 Series door frame jamb light switches to automatically turn storage room lights on/off as door opens/closes.



PlugTail™ Sensors

- Meets ASHRAE energy efficiency and government incentive requirements
- Fits existing PlugTail Switch box and switch connector for easy upgrades designed to save up to 60% in energy costs


PTWSP250W



Fed Spec USB Charger with Tamper-Resistant Receptacle

- Two USB "A" style charging outlets plus a 20-amp TR receptacle
- Charge two devices at once while still using receptacle
- Ensure charging convenience and safety

TR5361USBW



PlugTail™ Isolated Ground Specification Grade Duplex Receptacles

- No exposed terminals
- Auto-ground clip ensures grounding or provides redundant grounding in pipe and wire applications

PTIG5362

SPEC TIP . . .

The Pass & Seymour Sensors and Dimmer lines offer a broad range of solutions for meeting California Title 24 and similar energy-saving requirements.



Weatherproof While-In-Use Covers

- Meet NEC® requirements for outdoor power
- Corner hinges enable horizontal or vertical installation
- Flush mounted

WIUFC10W



Ceiling Mount Sensors

- PIR, Ultrasonic or dual technology design available
- Versatile control—combine sensors to cover large areas
- Adjustable sensitivity

CS500W

APPLICATION TIP . . .

Pass & Seymour series 5351 Single Receptacles are used for individual branch 20A circuit locations (example: microwave oven in lunchroom area).



Screwless Wall Plates

- Premium finishes that stand up to constant use
- Two-piece, non-conductive polycarbonate subplate speeds installation
- Available in Decorator, Toggle, and Duplex configurations

SWP26BK, SWP26LA



Titan™ Commercial Dimmers

- Built-in label holder enables instant circuit identification
- Power-failure memory retains presets thru power outages
- Exclusive adjustable limit control in incandescent dimmers saves energy and extends lamp life

CD703PW



Manual Controllers

- For ON-OFF control of motors that drive rooftop HVAC units
- Oversized silver alloy contacts for long life and better heat dissipation

7803



Specification Grade Surge Protective Receptacles

- Audible alarm able to be turned ON/OFF
- LED indicator has a high visibility, wide angle lens


5362WSP

OTHER SUGGESTED PRODUCTS



Quad Receptacles

- Designed for dense, multiple-outlet applications such as personal computers and peripherals, office equipment and audio/visual applications
- Clean, contemporary design
- Available in Specification Grade, IG Spec Grade, and Surge Protection Spec Grade



Specification Grade Hallway Light & Single Receptacle

- Sensor automatically turns light on in the dark; 20-year LED life expectancy

A line of devices that provide a sense of style and comfort, while withstanding the hard knocks of hotels and lodges.

Charge multiple mobile devices from one USB receptacle — **without an adapter.**



USB Charger with Tamper-Resistant Receptacle

- Two USB “A” style charging outlets plus a 15-amp TR receptacle
- Charge two devices at once while still using receptacle
- Ensure charging convenience and safety

TR5361USBW



Other USB Charger Devices include:

- USB Charger with Single Pole/3-way Switch
- Quad USB Charger


TM83USBWCC6, TM8USB4WCC6



Specification Grade Duplex Decorator Receptacles

- Available in tamper-resistant to meet NEC® Code and PlugTail™ models for fast, easy installation
- Strap tabs lock the face to the body of the device to prevent separation

TR26362LA



Decorator Combination Tamper-Resistant Nightlight/GFCI

- Ideal for guest bathrooms
- LED with 20-year life expectancy, no bulbs to change
- SafeLock™ protection

1595NTLTRW

APPLICATION TIP . . .
Order receptacles in bulk packaging to eliminate waste and speed production on the worksite.

APPLICATION TIP . . .

Liability is a major concern for lodging operators. An automatic LED nightlight combined with a GFCI adds safety — and provides a valuable risk management tool.



Surface Mount Sensors

- Available in wall- or ceiling-mount
- Adjustable sensitivity settings
- Use of power-pack required

HS1001W

SPEC TIP . . .

Legrand engineers products with sustainable design procedures to maximize product efficiency and reduce waste.




Decorator Opening Wall Plates

- Up to eight-gang opening
- Available in nylon, thermoset and metal

SWP262W

OTHER SUGGESTED PRODUCTS



Timers

- Seven-button preset time switch with adjustable time delay
- Manual ON/OFF
- Perfect for bathrooms and saunas

Rubber Dust Tight Plugs and Connectors

- Rugged choices perfect for dry outdoor use with landscaping tools and extension cords
- Enclosed terminals protect against contaminants

Weather-Resistant Receptacles

- Required by NEC® in damp and wet locations
- Meet stringent UL requirements

Cat 5 Camera

- Enhanced surveillance and security

Meet the many demands of these settings with everything from tamper-resistant receptacles to commercial-grade GFCIs to sleek-looking lighting controls.



Tamper-Resistant Receptacles and GFCIs

- Patented, sliding shutter system
- Meets 2008 NEC® Code requirements

TR5362W, 2095NTLTRW

CODE TIP . . .

406.11 Tamper-Resistant Receptacles in Dwelling Units. In all areas specified in 210.52, all 125-volt, 15- and 20-ampere receptacles shall be listed tamper-resistant receptacles.



Surge Protective Panels

- Protect microprocessor equipment sensitive to momentary spikes that occur daily
- Protect load balances from being affected by over-current
- Available in light-, medium-, and heavy-duty

1224-SL



Cat 5 Cameras

- Ideal for child safety and security
- Monitor multiple locations on any TV

F2299, F2297

SPEC TIP . . .

All exterior receptacles in dwelling units must be both weather-resistant and tamper-resistant. Use WR20TR for exterior 20A circuit applications.



Hallway Light/Receptacles

- Enhance safety
- Tamper-resistant models available

TM8HWLWCC



Flexcor® Service Drop Grips

- Provide support for utility distribution lines at service entrance
- Ideal for satellite/cable TV and fiber optic broadband applications

FCSD22



Decorative Finish Screwless Wall Plates

- Two-piece, non-conductive polycarbonate subplate speeds installation
- Premium finishes that stand up to constant use
- Match your decor with Metallic and Wood finishes

SWP26BC, SWP26BN, SWP26WA



Titan™ Series Fan Speed Controls

- Continuously variable speed
- Attractive European styling
- Built-in label holder enables instant circuit identification

CDSC6W

OTHER SUGGESTED PRODUCTS



Bulk Package Solutions

- For large projects, save time and reduce waste with Bulk Pack Commercial wiring devices

PlugTail™ Split-Circuit Duplex Receptacles

- Use for switched receptacle circuit applications




























Tamper-Resistant Clock Hanger Receptacles

- Recessed receptacle allows clock to hang flush to the wall



Pass & Seymour® Electrical Wiring Device solutions for any commercial project — including your next job.



	HEALTHCARE	INDUSTRIAL	EDUCATION	INSTITUTIONAL	ENTERTAINMENT	RETAIL/OFFICE	LODGING/HOSPITALITY	MULTIPLE DWELLING
	PT20AC1	PT20AC1	PT20AC1	PT20AC1	PT2621	PT20AC1	PT2621	PT2621
	PT8300	PT5362A	PT5362	PT5362	PT5362	PT5362	PT26352	PT26352
	PT2095HG	PT2095	PT2095	PT2095	PT2095	PT2095	PT2095	PT2095
	PT8300ILI							
	2095HG	2095	2095	2095	2095	2095	2095	2095
	TR8301USBW		TR5361USBW	TR5361USBW		TR5361USBW	TR5361USBW	
	2095HGNTL	2095NTL				PS8HWL		TM8HWL
			TR5362	TR5362			TR20	TR20
	WR5362	WR5362	WR5362	WR5362	WR5362	WR5362	WR5362	WR5362
	PS20AC	PS20AC	PS20AC	PS20AC	CSB20AC	CSB20AC	CS20AC	CS20AC
	Titan™ Series	Titan Series	Titan Series	Titan Series	Titan Series	Titan Series	Titan Series	Titan Series /Harmony
	97115		RT12	RT12	RT12	RT12	97015	RT1
	OS300S		OSR300S	OSR300S	OS300S	WSP250	WSP250	WSP250/RWU600B
	CS1200		CSD1000	CSU600		CSU1100	CS1200	
	SS8	SS8	SS8	SS8	SS26	SS8	SS26	SS26
					SW26/SWP8/SWP1	SW26/SWP8/SWP1	SW26/SWP8/SWP1	SWP26
	IG8300	PTIG5362	PTIG5362	PTIG5362	IG5362	IG5362	IG5362	IG5362
	8300BLSP	TR5362WSP	TR5362WSP	TR5362WSP	TR5362WSP	TR5362WSP	TR5362WSP	TR5362WSP
	Heavy-Duty	Heavy-Duty	Medium-Duty	Heavy-Duty	Heavy-Duty	Medium-Duty	Medium-Duty	Medium-Duty
	PS5266XHG	PS5266X	PS5266X	PS5266X	PS5266X	PS5266X	4867Y	4867Y
					PS520PCLB	PS520PCLB	PS520PCLB	PS520PCLB
	L620	L620	L620	L620	L620	L620	L620	L620
		PS5266XGCM	PS5266XGCM	PS5266XGCM	PS5266XGCM	PS5266XGCM		
	WIUC10CAGV	WIUC10CAGV	WIUC10CAGV	WIUC10CAGV	WIUC10SC	WIUC10SC	WIUC10SC	WIUC10SC
	FC075U	CG410		BOX40	FC075U	FF046U	FC075U	FCSD40
		PS430P7W/PS30SS						
		PS40MB			PS40MB			

For additional information, see the Pass & Seymour Electrical Wiring Devices and Accessories Catalog. You'll find complete specifications, details on color (including the designations necessary to complete most catalog numbers), international wiring standard facts and much more.

www.legrand.us/PassandSeymour





©2013 Legrand BR1188 All Rights Reserved 08113 EMA/CGXTP

designed to be better.™



Electrical Wiring Systems

P.O. Box 4822
Syracuse, NY 13221-4822
800.776.4035
www.legrand.us/PassandSeymour

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

For additional technical or application-specific information, call 800-223-4185 or visit our website at www.legrand.us/PassandSeymour. We're eager to put our expertise to work for you.

FOLLOW US



PASS & SEYMOUR®

COMMERCIAL & INDUSTRIAL PRODUCTS



MORE DEVICES. MORE SOLUTIONS.
MORE PRODUCTIVITY.

designed to be better.™

 **legrand**®

A heritage of innovation & reliability.

Legrand® has been a consistent source of innovation to help customers like you achieve ever-greater levels of speed, ease, and consistency.

It started in 1890 by introducing the industry's first porcelain insulation. We followed with something even bigger — our invention of the Pass & Seymour® GFCI Receptacle — which set new industry standards for safety and performance. More recently, PlugTail™ wiring devices, including receptacles, GFCIs, sensors, switches, and SPDs, dramatically reduce the time and labor of installation, giving you greater productivity and a sharper competitive edge. And then there are Titan™ Commercial Dimmers, which come with modular wall plate components to eliminate the cost and delays of custom wall plates.

This ability to understand your needs and respond with real answers has never been stronger, now that our heritage of innovation is joined with Legrand, the global specialist in solutions for electrical installations and information networks in commercial, industrial, and residential markets.




SOLUTIONS THAT GIVE YOU A COMPETITIVE EDGE.

Time, costs, labor, deadlines, codes, regulations, safety, and competition — they're facing you on every job. And they keep changing, constantly posing new challenges to productivity and profitability.

Legrand understands. It's our mission to see the need, develop the answer, and engineer the products that will provide you with faster installation,

fewer errors, ergonomic operation, and uncompromising durability to overcome harsh conditions and constant use. So you can maintain the competitive edge that is so critical to success in today's environment.

That's why every product in this brochure is designed to give you the absolute maximum in performance, energy management, and productivity.



PERFORMANCE

Legrand is a leader in safety solutions for the wiring device markets, with Pass & Seymour products that install easily and perform reliably under harsh conditions and heavy usage.

Portable power solutions for demanding jobsite applications that require temporary power, including high-quality plugs and connectors like Turnlok®, Ground Continuity Monitoring (GCM), Clamp-Lock™, and Straight Blade, all supported by Flexcor® Wire Mesh Grips.

GREEN PRACTICES

Legrand can help you “go green” in all kinds of ways. Our affiliation with the United States Green Building




Council is underscored by a complete line of lighting controls that save energy and money and are fully compatible with the “Smart Building” initiative. You can also order devices in bulk packaging to minimize or even eliminate waste on the job site while speeding up productivity. And the ongoing sustainable design of our products means you’re using fewer resources to get the job done right.

PRODUCTIVITY

Competition is intense, especially in the fields of education, government, and healthcare. Which is why having Legrand as your partner has never been more valuable. We offer you the most diverse and comprehensive product family to meet not just the criteria for high-performance building, but for all NAFTA trade requirements. And they all come with an ease of installation that lets you get more jobs done in less time, for more profitability.

Legrand® offers an unparalleled selection of **durable Pass & Seymour products that help you do the job right** the first time and move on confidently to the next.

Safe, dependable, compliant solutions for every healthcare application.



PlugTail™ Hospital Grade Receptacles

- Fastest, most error-free installation
- Uncompromising dependability
- Minimal-downtime replacement
- LED illuminated available

PT8300ILRED



APPLICATION TIP ...

Illuminated receptacles for emergency circuits to ID receptacles in emergency situations.



PlugTail™ Tamper-Resistant GFCI Combinations

- TR models provide the only single-device solution to meet NEC® requirements for pediatric care areas
- LED makes it easy to spot a tripped connection
- Added safety, ideal for bathrooms

PT2095HGNTLW

CODE TIP ...

Tamper-Resistant solutions meet NEC® section 517.18(C) requirements in pediatric-care areas.



Hospital-Grade USB Charger with Tamper-Resistant Receptacle

- Available in 15A and 20A 125V versions
- Charge two devices at once while still using receptacle
- Carries Hospital Grade certification

TR8301USBW



Extra-Heavy-Duty Hospital Grade MRI Receptacles

- Built with no ferrous metals so they are perfect for high-magnetic-field environments such as magnetic-resonance imaging (MRI)
- Extremely durable


8300LAMRI



Hospital Grade Plugs and Connectors

- Easy wiring
- Superior cord retention
- Internal dust shield

PS5269XHG, PS5266XHG



SPEC TIP ...

Hospital Grade receptacles meet rigid test requirements for abrupt removal, ground contact overstress, impact resistance, and assembly integrity. They are marked on the face with FSUL.



Metal Plates

- Great look in brushed or polished solid brass and stainless steel
- High impact resistance

SB8PB, SS1

SPEC TIP ...

Specify nickel-plated devices for premium corrosion resistance.



PlugTail™ Switches

- Switch features large brass terminal blades for easy connection
- Glass-reinforced nylon back body
- One-piece nickel-plated strap

PT20AC1



CODE TIP ...

Hospital grade receptacles are required in patient care/critical care areas; NEC® 517.18(b) and 517.19(b).

Hospital Grade Surge Protective Receptacles

- LED indicator light
- Back and side wire
- Audible alarm with ability to turn ON/OFF

8300BLSP

OTHER SUGGESTED PRODUCTS



Titan™ Dimmers

- Custom wall plates with identifiable circuit labels provided

Heavy-Duty Isolated Ground Receptacles

- Ideal for sensitive electronics like monitoring equipment



Commercial Wall Box Sensors

- Built-in light level sensing with simple, one-step setup with adjustable sensitivity
- Auto-adjustable time delays
- LED indicates occupancy detection

OSR300SW



Quad Receptacles

- Outward-facing ground terminals make handling up to four plugs easy and convenient
- Split circuit break-off tabs
- Built-in wire stripping gauge

IG420H

Rugged, reliable devices for harsh industrial environments.



Safety Switches & IEC 309 Industrial Products

- Maximum durability for minimum downtime
- Quick, no-guesswork wiring
- Guaranteed interchangeability with IEC products

SPEC TIP . . .

Pin & Sleeve devices are ideal for wind turbines with higher voltage and amp ratings.



Flexcor® Wire Mesh Grips

- Strain relief grips
- Support grips
- Pulling grips

CG610



Industrial/Extra-Heavy-Duty Switches and Receptacles

- Patented, external screw-pressure-plate wiring speeds installation for both
- Locking support provides resistance to face and back body separation

PS20AC1RED, 5362ALA

SPEC TIP . . .

Specify Industrial Grade Switches or Receptacles in harsh, demanding facility environments.

APPLICATION TIP . . .


Turnlok® plugs and connectors are required for generator power hookups and portable power solutions.



Turnlok® Locking Plugs & Connectors

- Quick-thread assembly screws and cord-grip screws install 3x faster
- Internal dust seal for corrosive protection
- Impact- and corrosion-resistant nylon

L630C, L630P



Extra-Hard Use Ground Continuity Monitoring (GCM) Plugs & Connectors

- Indication of ground continuity and power status
- LED indicators with 360 degree visibility
- Superior cord retention

PS5266XGCM, PS5269XGCM



PlugTail™ Extra-Heavy-Duty Specification Grade Receptacles

- No exposed terminals
- Impact-resistant polycarbonate housing

PT5362AW

OTHER SUGGESTED PRODUCTS




Rubber Watertight Plugs and Connectors

- Rugged performers for washdown equipment



Non-Fusible Safety Switches

- UL listed as "suitable as motor disconnect" to protect in emergency situations



Rotary Fan Speed Controls

- Full-on bypass eliminates heat build-up

EDUCATIONAL SETTINGS

Safe, durable, energy-efficient solutions for every school environment.




SPEC TIP . . .

Specify glass-reinforced nylon switch back bodies for durability and strongest switch available.

PlugTail™ Switches

- Switch features large brass terminal blades for easy connection
- Glass-reinforced nylon back body
- One-piece nickel-plated strap

PT20AC1



APPLICATION TIP . . .

When you need to save space in the box, PlugTail™ Angle Connectors offer a simple, effective solution.



Fed Spec USB Chargers with Tamper-Resistant Receptacle

- Two USB "A" style charging outlets plus a 20-amp TR receptacle
- Charge two devices at once while still using receptacle
- Ensure charging convenience and safety

TR5361USBW



PlugTail™ Tester

- Enables user to quickly test both the connector and receptacle
- Fast, easy identification of circuit connections
- Easy-to-see indicator lights

PT-Tester



SPEC TIP . . .

PlugTail™ devices meet Fed Spec Performance Standard WC-596 — FSUL clearly marked on receptacle covers.

Isolated Ground Receptacles

- Ideal for sensitive electronics
- Complies with NEC® 410-56 and 25074 exception 4

PTIG5362



APPLICATION TIP . . .

Titan Dimmers have adjustable high end output limit control (incandescent), or low end output limit control (low voltage, fluorescent).



Titan™ Dimmers

- Built-in label holder enables instant circuit identification
- Power-failure memory retains presets thru power outages
- Specify 700, 1100 or 1600 watts for larger load capacity

CD703PW



Surge Protection Panels

- Protect microprocessor equipment sensitive to momentary spikes and surges that occur daily
- Protect load balances from being affected by over-current
- Provide premise-wide protection from electrical surges

2748-TWH, 1224-SL, 1224-SM

OTHER SUGGESTED PRODUCTS



Portable GFCIs

- Perfect for jobsite construction

Occupancy Sensor

- Save energy by controlling costs in the classroom

Industrial Extra-Heavy-Duty Lock Switches

- One key furnished with each switch to best monitor light use

Clock Hanger Receptacle

- Recessed receptacle allows clock to hang flush to the wall



Tamper-Resistant Extra-Heavy-Duty Straight Blade Receptacles

- Strap tabs lock the face to the body of the device to prevent separation
- Include patented PlugTail™ versions for finger safe, dependable installations every time

TR63W



Tamper-Resistant Extra-Heavy-Duty Surge Protective Receptacles

- Protect computers and lab equipment
- Exceptional surge protection and convenience
- Wrap-around steel strap

TR5362WSP

Choose from a wide range of devices that save energy and protect critical equipment.



APPLICATION TIP . . .

For maximum safety, patented SafeLock™ Protection shuts off power to the receptacle if there's a ground fault, if there's a miswire, or if GFCI protection is compromised.



PlugTail™ GFCI Spec Grade Receptacles

- SafeLock™ Protection
- No exposed terminals
- LED makes it easy to spot a tripped connection

PT2095LA



PlugTail™ Isolated Ground Specification Grade Duplex Receptacles

- No exposed terminals
- Auto-ground clip ensures grounding or provides redundant grounding in pipe and wire applications

PTIG5362

SPEC TIP . . .

Specify isolated ground receptacles to eliminate EMI interference in computer labs.



PlugTail™ Specification Grade Receptacles

- Unmatched installation speed and consistency
- Installs 3x faster than conventional devices
- No exposed terminals

PT5362W



Ultrasonic Ceiling Mount Sensors

- PIR, Ultrasonic or Dual Technology design
- Versatile control — combine sensors to cover large areas
- Adjustable sensitivity

CSU600W

SPEC TIP . . .

Pass & Seymour commercial devices are positioned to meet trade agreement requirements.



Tamper-Resistant Duplex Receptacles

- Dual mechanical shutter system
- Corrosion-resistant, plated-steel strap

TR5362



Weather-Resistant Straight Blade Duplex Receptacles

- Weather-resistant products are required by code on new outdoor commercial construction
- Corrosion-resistant, plated-steel strap

WR5362W



Fed Spec USB Charger with Tamper-Resistant Receptacle

- Two USB "A" style charging outlets plus a 20-amp TR receptacle
- Charge two devices at once while still using receptacle
- Ensure charging convenience and safety

TR5361USBW

OTHER SUGGESTED PRODUCTS



Stainless Steel Wall Plates

- Spec Grade stainless steel wall plates are ideal for hard-use and corrosive applications



Weatherproof WIU Covers

- Meet NEC® requirements for outdoor power



Security Switches

- Operated by cam lock for maximum security in critical areas

Flexcor® Pulling Grip Kit

- Light-duty, standard length, flexible eye kit contains pulling grips for many applications

Help generate excitement with versatile solutions for fairs, carnivals, concerts, casinos and sports venues.



Cam-Type Devices

- Uncompromising quality and performance
- Interchangeable with other manufacturers' cam-type devices
- Weatherproof connection

PS40MBBK, PS40FBBK

APPLICATION TIP . . .
Cam-type devices provide fast, easy connections for stage and sound needs.

APPLICATION TIP . . .
PlugTail™ Receptacles and Switches minimize downtime for busy theme parks and casinos.



PlugTail™ Specification Grade Receptacles

- No exposed terminals increases safety in all phases of installation and use
- Tamper-resistant models meet code requirements

PT26352, PTTTR26262W

PlugTail™ Spec Grade Switches

- Shallow design for easier installation
- Illuminated solutions for pilot and lighted applications
- No exposed parts for finger-safe application

PT2621



Clamp-Lock™ Straight Blade Plugs and Connectors

- Color-coded levers enable terminal identification and reduce the chance of wiring errors
- Speedy, patented cam-lever termination provides solid, dependable connections
- Self-centering cord grip helps speed assembly

PS515CCLB, PS515PCLB



Industrial Spec Grade Turnlok® Locking Devices

- Tri-drive assembly screws
- Double-wipe power contacts withstand work-site abuse and ensure lasting blade retention
- Easy-grip contour molded into back body prevents hand slippage

PSL515C, PSL515P

OTHER SUGGESTED PRODUCTS



Isolated Ground Receptacles

- Overcurrent protection of all sensitive electronic components

Watertight Plugs and Connectors

- Multiple ring seals between plug and connector ensure protection from water and other contaminants



Dust and Moisture Resistant Receptacles

- Neoprene gasket slit to provide wiping action on plug blades and positive closure when not in use



Flexcor® Fiber Optic Support Grips

- Reduce stress on fragile cables in vertical or sloping runs
- Nonmagnetic tinned bronze wire
- Available in single eye and locking bale configurations

FF018

Find complete product information at www.legrand.us/PassandSeymour

Save energy, protect equipment with the stylish look and feel for offices and stores.

APPLICATION TIP . . .

Use Pass & Seymour 1200 Series door frame jamb light switches to automatically turn storage room lights on/off as door opens/closes.



PlugTail™ Sensors

- Meets ASHRAE energy efficiency and government incentive requirements
- Fits existing PlugTail Switch box and switch connector for easy upgrades designed to save up to 60% in energy costs


PTWSP250W



Fed Spec USB Charger with Tamper-Resistant Receptacle

- Two USB "A" style charging outlets plus a 20-amp TR receptacle
- Charge two devices at once while still using receptacle
- Ensure charging convenience and safety

TR5361USBW



PlugTail™ Isolated Ground Specification Grade Duplex Receptacles

- No exposed terminals
- Auto-ground clip ensures grounding or provides redundant grounding in pipe and wire applications

PTIG5362

SPEC TIP . . .

The Pass & Seymour Sensors and Dimmer lines offer a broad range of solutions for meeting California Title 24 and similar energy-saving requirements.



Weatherproof While-In-Use Covers

- Meet NEC® requirements for outdoor power
- Corner hinges enable horizontal or vertical installation
- Flush mounted

WIUFC10W



Ceiling Mount Sensors

- PIR, Ultrasonic or dual technology design available
- Versatile control—combine sensors to cover large areas
- Adjustable sensitivity

CS500W

APPLICATION TIP . . .

Pass & Seymour series 5351 Single Receptacles are used for individual branch 20A circuit locations (example: microwave oven in lunchroom area).



Screwless Wall Plates

- Premium finishes that stand up to constant use
- Two-piece, non-conductive polycarbonate subplate speeds installation
- Available in Decorator, Toggle, and Duplex configurations

SWP26BK, SWP26LA



Titan™ Commercial Dimmers

- Built-in label holder enables instant circuit identification
- Power-failure memory retains presets thru power outages
- Exclusive adjustable limit control in incandescent dimmers saves energy and extends lamp life

CD703PW



Manual Controllers

- For ON-OFF control of motors that drive rooftop HVAC units
- Oversized silver alloy contacts for long life and better heat dissipation

7803




Specification Grade Surge Protective Receptacles

- Audible alarm able to be turned ON/OFF
- LED indicator has a high visibility, wide angle lens


5362WSP

OTHER SUGGESTED PRODUCTS



Quad Receptacles

- Designed for dense, multiple-outlet applications such as personal computers and peripherals, office equipment and audio/visual applications
- Clean, contemporary design
- Available in Specification Grade, IG Spec Grade, and Surge Protection Spec Grade



Specification Grade Hallway Light & Single Receptacle

- Sensor automatically turns light on in the dark; 20-year LED life expectancy

A line of devices that provide a sense of style and comfort, while withstanding the hard knocks of hotels and lodges.

Charge multiple mobile devices from one USB receptacle — **without an adapter.**



USB Charger with Tamper-Resistant Receptacle

- Two USB “A” style charging outlets plus a 15-amp TR receptacle
- Charge two devices at once while still using receptacle
- Ensure charging convenience and safety

TR5361USBW



Other USB Charger Devices include:

- USB Charger with Single Pole/3-way Switch
- Quad USB Charger


TM83USBWCC6, TM8USB4WCC6



Specification Grade Duplex Decorator Receptacles

- Available in tamper-resistant to meet NEC® Code and PlugTail™ models for fast, easy installation
- Strap tabs lock the face to the body of the device to prevent separation

TR26362LA



Decorator Combination Tamper-Resistant Nightlight/GFCI

- Ideal for guest bathrooms
- LED with 20-year life expectancy, no bulbs to change
- SafeLock™ protection

1595NTLTRW

APPLICATION TIP . . .
Order receptacles in bulk packaging to eliminate waste and speed production on the worksite.

APPLICATION TIP . . .

Liability is a major concern for lodging operators. An automatic LED nightlight combined with a GFCI adds safety — and provides a valuable risk management tool.



Surface Mount Sensors

- Available in wall- or ceiling-mount
- Adjustable sensitivity settings
- Use of power-pack required

HS1001W

SPEC TIP . . .

Legrand engineers products with sustainable design procedures to maximize product efficiency and reduce waste.




Decorator Opening Wall Plates

- Up to eight-gang opening
- Available in nylon, thermoset and metal

SWP262W

OTHER SUGGESTED PRODUCTS



Timers

- Seven-button preset time switch with adjustable time delay
- Manual ON/OFF
- Perfect for bathrooms and saunas

Rubber Dust Tight Plugs and Connectors

- Rugged choices perfect for dry outdoor use with landscaping tools and extension cords
- Enclosed terminals protect against contaminants

Weather-Resistant Receptacles

- Required by NEC® in damp and wet locations
- Meet stringent UL requirements

Cat 5 Camera

- Enhanced surveillance and security

Meet the many demands of these settings with everything from tamper-resistant receptacles to commercial-grade GFCIs to sleek-looking lighting controls.



Tamper-Resistant Receptacles and GFCIs

- Patented, sliding shutter system
- Meets 2008 NEC® Code requirements

TR5362W, 2095NTLTRW

CODE TIP . . .

406.11 Tamper-Resistant Receptacles in Dwelling Units. In all areas specified in 210.52, all 125-volt, 15- and 20-ampere receptacles shall be listed tamper-resistant receptacles.



Surge Protective Panels

- Protect microprocessor equipment sensitive to momentary spikes that occur daily
- Protect load balances from being affected by over-current
- Available in light-, medium-, and heavy-duty

1224-SL



Cat 5 Cameras

- Ideal for child safety and security
- Monitor multiple locations on any TV

F2299, F2297

SPEC TIP . . .

All exterior receptacles in dwelling units must be both weather-resistant and tamper-resistant. Use WR20TR for exterior 20A circuit applications.



Hallway Light/Receptacles

- Enhance safety
- Tamper-resistant models available

TM8HWLWCC



Flexcor® Service Drop Grips

- Provide support for utility distribution lines at service entrance
- Ideal for satellite/cable TV and fiber optic broadband applications

FCSD22



Decorative Finish Screwless Wall Plates

- Two-piece, non-conductive polycarbonate subplate speeds installation
- Premium finishes that stand up to constant use
- Match your decor with Metallic and Wood finishes

SWP26BC, SWP26BN, SWP26WA




Titan™ Series Fan Speed Controls

- Continuously variable speed
- Attractive European styling
- Built-in label holder enables instant circuit identification

CDSC6W

OTHER SUGGESTED PRODUCTS



Bulk Package Solutions

- For large projects, save time and reduce waste with Bulk Pack Commercial wiring devices

PlugTail™ Split-Circuit Duplex Receptacles




























- Use for switched receptacle circuit applications

Tamper-Resistant Clock Hanger Receptacles

- Recessed receptacle allows clock to hang flush to the wall



Pass & Seymour® Electrical Wiring Device solutions for any commercial project — including your next job.

	HEALTHCARE	INDUSTRIAL	EDUCATION	INSTITUTIONAL	ENTERTAINMENT	RETAIL/OFFICE	LODGING/HOSPITALITY	MULTIPLE DWELLING
	PT20AC1	PT20AC1	PT20AC1	PT20AC1	PT2621	PT20AC1	PT2621	PT2621
	PT8300	PT5362A	PT5362	PT5362	PT5362	PT5362	PT26352	PT26352
	PT2095HG	PT2095	PT2095	PT2095	PT2095	PT2095	PT2095	PT2095
	PT8300ILI							
	2095HG	2095	2095	2095	2095	2095	2095	2095
	TR8301USBW		TR5361USBW	TR5361USBW		TR5361USBW	TR5361USBW	
	2095HGNTL	2095NTL				PS8HWL		TM8HWL
			TR5362	TR5362			TR20	TR20
	WR5362	WR5362	WR5362	WR5362	WR5362	WR5362	WR5362	WR5362
	PS20AC	PS20AC	PS20AC	PS20AC	CSB20AC	CSB20AC	CS20AC	CS20AC
	Titan™ Series	Titan Series	Titan Series	Titan Series	Titan Series	Titan Series	Titan Series	Titan Series /Harmony
	97115		RT12	RT12	RT12	RT12	97015	RT1
	OS300S		OSR300S	OSR300S	OS300S	WSP250	WSP250	WSP250/RWU600B
	CS1200		CSD1000	CSU600		CSU1100	CS1200	
	SS8	SS8	SS8	SS8	SS26	SS8	SS26	SS26
					SW26/SWP8/SWP1	SW26/SWP8/SWP1	SW26/SWP8/SWP1	SWP26
	IG8300	PTIG5362	PTIG5362	PTIG5362	IG5362	IG5362	IG5362	IG5362
	8300BLSP	TR5362WSP	TR5362WSP	TR5362WSP	TR5362WSP	TR5362WSP	TR5362WSP	TR5362WSP
	Heavy-Duty	Heavy-Duty	Medium-Duty	Heavy-Duty	Heavy-Duty	Medium-Duty	Medium-Duty	Medium-Duty
	PS5266XHG	PS5266X	PS5266X	PS5266X	PS5266X	PS5266X	4867Y	4867Y
					PS520PCLB	PS520PCLB	PS520PCLB	PS520PCLB
	L620	L620	L620	L620	L620	L620	L620	L620
		PS5266XGCM	PS5266XGCM	PS5266XGCM	PS5266XGCM	PS5266XGCM		
	WIUC10CAGV	WIUC10CAGV	WIUC10CAGV	WIUC10CAGV	WIUC10SC	WIUC10SC	WIUC10SC	WIUC10SC
	FC075U	CG410		BOX40	FC075U	FF046U	FC075U	FCSD40
		PS430P7W/PS30SS						
		PS40MB			PS40MB			

For additional information, see the Pass & Seymour Electrical Wiring Devices and Accessories Catalog. You'll find complete specifications, details on color (including the designations necessary to complete most catalog numbers), international wiring standard facts and much more.

www.legrand.us/PassandSeymour





©2013 Legrand BR1188 All Rights Reserved 08113 EMA/CGXTP

designed to be better.™



Electrical Wiring Systems

P.O. Box 4822
Syracuse, NY 13221-4822
800.776.4035
www.legrand.us/PassandSeymour

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

For additional technical or application-specific information, call 800-223-4185 or visit our website at www.legrand.us/PassandSeymour. We're eager to put our expertise to work for you.

FOLLOW US

