



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



TRM7 250V 7A 1 1/2X13/32 Midget TD Fuse

Mersen Fuses

Catalog Number	TRM7
Manufacturer	Mersen Fuses
Description	Fuse TRM - Midget - Time-Delay 250VAC 7A Ferrule Tri-Onic®
Weight per unit	0.0120 (lbs/each)
Product Category	Small Dimension Fuses

Features

AC Voltage Rating	250
amperage rating	7
class	Midget
connection	Ferrule
interrupt rating	10
Voltage Rating	250

Material, Color, and Finish

Body Material	GMG
---------------	-----

Dimensions and Weight

Size	1.5 x 0.41
------	------------

Descriptions

Description	250V 7A 1 1/2X13/32 MIDGET TD FUSE
extra long description	Mersen TRM7 Fuse TRM - Midget - Tim
Features	Tri-Onic® TRM time-delay midget fuses are rated 250 volts AC and are offered in ampere ratings from 1/10 to 30A. They have 12 seconds time-delay at 200 rating to provide supplemental protection of small motors, small transformers and other high inrush loads, plus many other 250 volt applications. (Not for Branch Circuit Protection).
Long Description	Fuse TRM - Midget - Time-Delay 250VAC 7A Ferrule Tri-Onic®
Product Type	Fuse TRM - Midget - Time-Delay 250VAC 7A Ferrule
Short Description	250V 7A 1 1/2x13/32 MID TD
Special Features	Numerous ratings for a wide variety of applications 250VAC rating in all sizes up to 30A Time-delay for circuits with high inrush current Can be used with UltraSafe™ fuse holders 1 1/2" x 13/32" (10mm x 38mm) dimensions

Manufacturer Information

Brand	Mersen
GTIN	00782001746513
Manufacturers Part Number	TRM7
UPC	782001746513



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description Fuses & Fuse Accessories
Type Midget Fuses

Packaging

Carton 1
Package 10
Weight Per each 0.012

Uses, Certifications, and Standards

Application Small motors Small transformers Lighting circuits Control circuits
Mounting Clip
standard UL listed to standard 248-14 File E33925 CSA Certified to
Standard C22.2 No. 248.14