



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## TV1410RXV 16-14 Ring Terminal

*Abb Installation Products, Inc*

|                  |  |
|------------------|--|
| Catalog Number   | TV1410RXV  |
| Manufacturer     | Abb Installation Products, Inc   |
| Description      | Insulated Vinyl Ring Terminal For Wire Range 16-14 Stud Size #10, Blue, Canister |
| Weight per unit  | 0.0060 (lbs/each)  |
| Product Category | Large Terminals & Connectors   |

### Features

|                |           |
|----------------|-----------|
| Material       | Copper    |
| Voltage Rating | 600 V     |
| Wire Size      | 16-14 AWG |

### Material, Color, and Finish

|       |      |
|-------|------|
| Color | Blue |
|-------|------|

### Descriptions

|                        |  |
|------------------------|--|
| Description            | 16-14 RING TERMINAL  |
| extra long description | ABB TV14-10R-XV VNYL INSUL RNG TERM  |
| Long Description       | Insulated Vinyl Ring Terminal for Wire Range 16-14 Stud Size #10, Blue, Canister |
| Product Type           | Vnyl Insul RNG Term 16-14 NO10 Blu   |
| Special Features       | Molded Funnel Entry Insulator. Brazed Seam. Internal Barrel Serrations           |

### Manufacturer Information

|                           |                |
|---------------------------|----------------|
| Brand                     | Sta-Kon        |
| GTIN                      | 00728494144115 |
| Manufacturers Part Number | TV14-10R-XV    |
| UPC                       | 728494144115   |

### Taxonomies, Classifications, and Categories

|                      |                               |
|----------------------|-------------------------------|
| Category Description | TERMINALS                     |
| Type                 | Vinyl Insulated Ring Terminal |

### Packaging

|                 |       |
|-----------------|-------|
| Carton          | 75    |
| Package         | 900   |
| Weight Per each | 0.006 |

### Uses, Certifications, and Standards

|          |          |
|----------|----------|
| standard | UL E9809 |
|----------|----------|