

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

TY26MX 11.08" Ty-Rap (Bulk) Abb Installation Products, Inc

Weather and Ultra-Violet Resistant For Indoor and Outdoor Applications, , Length Of 284.4MM (11.10 Inches), Width Of 3.56MM (0.14 Inches), , Tensile Strength Rating Of 133.4 Newtons (30 Pounds), Temperature Up to 85 Degress Celsiu (185 F)Bulk Pack Weight per unit 0.0030 (lbs/each) Product Category Cable Ties & Wraps Features Bundle Diameter 0.08 to 2.99 in , 2 to 76 mm Material Nylon/Polyamide 6.6 Tensile Strength 40;180 Material, Color, and Finish Color Black Dimensions and Weight Length 10.90000000000000 Thickness 0.04000000000000 Width 0.14000000000000 Descriptions Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, Length of 284.4mm (11.10 Inches), width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 New (30 pounds), Temperature up to 85 degress celsius (185 F)Bi Pack Product Type Cable Tie 30LB 11.10IN U v Black Nyl Special Features Low profile head is designed to prevent snags on uneven suand easier to pull through bulkheads. Non-magnetic stainle					
Description Cable Tie, Black Polyamide (Nylon 6.6) For Temperatures Up Weather and Ultra-Violet Resistant For Indoor and Outdoor Applications, , Length Of 284.4MM (11.10 Inches), Width Of 3.56MM (0.14 Inches), , Tensile Strength Rating Of 133.4 Newtons (30 Pounds), Temperature Up to 85 Degress Celsiu (185 F)Bulk Pack Weight per unit 0.0030 (lbs/each) Product Category Cable Ties & Wraps Features Bundle Diameter 0.08 to 2.99 in , 2 to 76 mm Material Nylon/Polyamide 6.6 Tensile Strength 40;180 Material, Color, and Finish Color Black Dimensions and Weight Length 10.90000000000000 Thickness 0.040000000000000 Width 0.14000000000000 Descriptions Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 New (30 pounds), Temperature up to 85 degress celsius (185 F)Bi Pack Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Special Features Low profile head is designed to prevent snags on uneven su and easier to pull through bulkheads. Non-magnetic stainle	Catalog Number	TY26MX			
Weather and Ultra-Violet Resistant For Indoor and Outdoor Applications, , Length Of 284.4MM (11.10 Inches), Width Of 3.56MM (0.14 Inches), , Tensile Strength Rating Of 133.4 Newtons (30 Pounds), Temperature Up to 85 Degress Celsiu (185 F)Bulk Pack Weight per unit 0.0030 (lbs/each) Product Category Cable Ties & Wraps Features Bundle Diameter 0.08 to 2.99 in , 2 to 76 mm Material Nylon/Polyamide 6.6 Tensile Strength 40;180 Material, Color, and Finish Color Black Dimensions and Weight Length 10.90000000000000 Width 0.14000000000000 Width 0.14000000000000 Descriptions Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, Length of 284.4mm (11.10 Inches), width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 New (30 pounds), Temperature up to 85 degress celsius (185 F)Bi Pack Product Type Cable Tie 30LB 11.10IN U v Black Nyl Special Features Low profile head is designed to prevent snags on uneven suand easier to pull through bulkheads. Non-magnetic stainle	Manufacturer	Abb Installation Products, Inc			
Features Bundle Diameter 0.08 to 2.99 in , 2 to 76 mm Material Nylon/Polyamide 6.6 Tensile Strength 40;180 Material, Color, and Finish Color Black Dimensions and Weight Length 10.90000000000000 Thickness 0.04000000000000 Width 0.14000000000000 Descriptions Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 Nex (30 pounds), Temperature up to 85 degress celsius (185 F)Br Pack Product Type Cable Tie 30LB 11.10IN U black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Description	Applications, , Length Of 284.4MM (11.10 Inches), Width Of 3.56MM (0.14 Inches), , Tensile Strength Rating Of 133.4 Newtons (30 Pounds), Temperature Up to 85 Degress Celsius			
Features Bundle Diameter 0.08 to 2.99 in , 2 to 76 mm Material Nylon/Polyamide 6.6 Tensile Strength 40;180 Material, Color, and Finish Color Black Dimensions and Weight Length 10.90000000000000 Thickness 0.04000000000000 Width 0.14000000000000 Descriptions Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 Nex (30 pounds), Temperature up to 85 degress celsius (185 F)Bit Pack Product Type Cable Tie 30LB 11.10IN UV Black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Weight per unit	0.0030 (lbs/each)			
Bundle Diameter 0.08 to 2.99 in , 2 to 76 mm Material Nylon/Polyamide 6.6 Tensile Strength 40;180 Material, Color, and Finish Color Black Dimensions and Weight Length 10.9000000000000000000 Thickness 0.040000000000000 Width 0.14000000000000 Descriptions Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 New (30 pounds), Temperature up to 85 degress celsius (185 F)Br Pack Product Type Cable Tie 30LB 11.10IN UV Black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Product Category	Cable Ties & Wraps			
Material Nylon/Polyamide 6.6 Tensile Strength 40;180 Material, Color, and Finish Color Black Dimensions and Weight Length 10.900000000000000000000000000000000000	Features				
Tensile Strength 40;180 Material, Color, and Finish Color Black Dimensions and Weight Length 10.900000000000000000000000000000000000	Bundle Diameter	0.08 to 2.99 in , 2 to 76 mm			
Material, Color, and Finish Color Black Dimensions and Weight Length 10.90000000000000000 Thickness 0.040000000000000 Width 0.14000000000000 Descriptions Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 New (30 pounds), Temperature up to 85 degress celsius (185 F)Bi Pack Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Material	Nylon/Polyamide 6.6			
Color Black Dimensions and Weight Length 10.90000000000000000 Thickness 0.040000000000000 Width 0.140000000000000 Descriptions Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 New (30 pounds), Temperature up to 85 degress celsius (185 F)Bu Pack Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Tensile Strength	40:180			
Color Black Dimensions and Weight Length 10.90000000000000000 Thickness 0.040000000000000 Width 0.140000000000000 Descriptions Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 New (30 pounds), Temperature up to 85 degress celsius (185 F)Bu Pack Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Material, Color, and Finish				
Length 10.900000000000000000000000000000000000		Black			
Thickness 0.04000000000000 Width 0.14000000000000 Descriptions Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 New (30 pounds), Temperature up to 85 degress celsius (185 F)Bu Pack Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Dimensions and Weight				
Width 0.14000000000000 Descriptions Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 New (30 pounds), Temperature up to 85 degress celsius (185 F)Bu Pack Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle		10.9000000000000			
Descriptions Description Description Description Description Extra long description Long Description Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 New (30 pounds), Temperature up to 85 degress celsius (185 F)Bu Pack Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Thickness	0.0400000000000			
Description 11.08" TY-RAP (BULK) extra long description ABB TY26MX CABLE TIE 30LB 11.10IN U Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 Nev (30 pounds), Temperature up to 85 degress celsius (185 F)Bi Pack Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Width	0.1400000000000			
extra long description Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 New (30 pounds), Temperature up to 85 degress celsius (185 F)Bu Pack Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Descriptions				
Long Description Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 Nev (30 pounds), Temperature up to 85 degress celsius (185 F)Bi Pack Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Description	11.08" TY-RAP (BULK)			
Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 Nev (30 pounds), Temperature up to 85 degress celsius (185 F)Bi Pack Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	extra long description	ABB TY26MX CABLE TIE 30LB 11.10IN U			
Product Type Cable Tie 30LB 11.10IN Uv Black Nyl Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Long Description	Applications, , Length of 284.4mm (11.10 Inches), Width of 3.56mm (0.14 Inches), , Tensile Strength Rating of 133.4 Newtons (30 pounds), Temperature up to 85 degress celsius (185 F)Bulk			
Special Features Low profile head is designed to prevent snags on uneven sur and easier to pull through bulkheads. Non-magnetic stainle	Product Type				
tightness every time	5.	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right			



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

					ıtior	

Brand	Ty-Rap	
GTIN	00786210839875	
Manufacturers Part Number	TY26MX	
UPC	786210839875	

Taxonomies, Classifications, and Categories

Category Description	Screws, Bolts, Staples, Jack Chains, Washers & TY-Raps
Туре	HIGH PERFORMANCE

Availability

minimum qty 1000

Packaging

ckayırıy		
Carton	1000	
Package	10000	
Weight Per each	0.003	

Uses, Certifications, and Standards

standard	UL E49405