







Catalog Number: UAP6094-O-NES
Item Description: GENERAL ENCLOSURES
UPC Code: 784572703902

Brand Name: Milbank
Type: Hinge Cover
Special Features: 4000 Ampere, Three Phase Four Wire, Penta Bolt, 10,000 Short Circuit Current Rating
Application: Terminate Conductors
Standard: UL Listed
Material: Aluminum
Color: ANSI 61 Gray
Mounting: Pad Mount or Wall Mount
NEMA Rating: Type 3R



Utility requirements may vary. Always consult the serving utility for their requirements prior to ordering or installing this equipment. This product must always be installed by a licensed electrician. Installation of this equipment may require local electrical inspector approval.

FEATURE TABLE		
ITEM	QTY	DESCRIPTION
A	4	TRANS. MNTG.EMBOSS, NO HOLE



Version:

1

All dimensions are +/- 1/16".
Drawing views are not to scale.
Utility requirements for this equipment may vary. Always consult the serving utility for their requirements prior to ordering or installing this equipment. This product must be installed by a licensed electrician. Installation of this equipment may require local electrical inspector approval.







Catalog Number: UAP6094-O-NES
Item Description: GENERAL ENCLOSURES
UPC Code: 784572703902

Brand Name: Milbank
Type: Hinge Cover
Special Features: 4000 Ampere, Three Phase Four Wire, Penta Bolt, 10,000 Short Circuit Current Rating
Application: Terminate Conductors
Standard: UL Listed
Material: Aluminum
Color: ANSI 61 Gray
Mounting: Pad Mount or Wall Mount
NEMA Rating: Type 3R



Utility requirements may vary. Always consult the serving utility for their requirements prior to ordering or installing this equipment. This product must always be installed by a licensed electrician. Installation of this equipment may require local electrical inspector approval.

FEATURE TABLE		
ITEM	QTY	DESCRIPTION
A	4	TRANS. MNTG.EMBOSS, NO HOLE



Version:

1

All dimensions are +/- 1/16".
Drawing views are not to scale.
Utility requirements for this equipment may vary. Always consult the serving utility for their requirements prior to ordering or installing this equipment. This product must be installed by a licensed electrician. Installation of this equipment may require local electrical inspector approval.