Eaton UTE5213CCH

Catalog Number: UTE5213CCH

Eaton meter socket, Comm, 200A, Over/under, 3-5/16 inch hub cover plate, #6-350 kcmil, 5-jaw, 1-ph, #6-350 kcmil, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, Three-wire, Ringless, 600 Vac



General specifications

Product Name Eaton meter socket

UPC 786685271361

Product Height 19 in

Product Weight 26 lb Catalog Number UTE5213CCH

Product Length/Depth 4.94 in

Product Width 13 in

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

UL Listed

Certifications



Product specifications

Туре

Commercial

Amperage Rating

200A

Feed type

Top/bottom

Number of jaws

Five-jaw

Phase

Single-phase

Utility approvals

ME : Central Maine Power NM : El Paso Electric TX : El Paso Electric ME : Emera Maine (Bangor Hydro Electric Co./ Maine Public Service Company) NM : Public Service Company of New Mexico (PNM) WI : WE Energies / Wisconsin Public Service (WPS)

Line

#6-350 kcmil

Load

#6-350 kcmil

Number of wires

Three-wire

Hub type 3-5/16 in hub cover plate

Security

Ringless

Voltage rating

600 V

Bypass

Lever

Number of sockets

1

Resources

Specifications and datasheets

Eaton Specification Sheet - UTE5213CCH



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2025 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia

Eaton UTE5213CCH

Catalog Number: UTE5213CCH

Eaton meter socket, Comm, 200A, Over/under, 3-5/16 inch hub cover plate, #6-350 kcmil, 5-jaw, 1-ph, #6-350 kcmil, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, Three-wire, Ringless, 600 Vac



General specifications

Product Name Eaton meter socket

UPC 786685271361

Product Height 19 in

Product Weight 26 lb Catalog Number UTE5213CCH

Product Length/Depth 4.94 in

Product Width 13 in

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

UL Listed

Certifications



Product specifications

Туре

Commercial

Amperage Rating

200A

Feed type

Top/bottom

Number of jaws

Five-jaw

Phase

Single-phase

Utility approvals

ME : Central Maine Power NM : El Paso Electric TX : El Paso Electric ME : Emera Maine (Bangor Hydro Electric Co./ Maine Public Service Company) NM : Public Service Company of New Mexico (PNM) WI : WE Energies / Wisconsin Public Service (WPS)

Line

#6-350 kcmil

Load

#6-350 kcmil

Number of wires

Three-wire

Hub type 3-5/16 in hub cover plate

Security

Ringless

Voltage rating

600 V

Bypass

Lever

Number of sockets

1

Resources

Specifications and datasheets

Eaton Specification Sheet - UTE5213CCH



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2025 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia