


ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





WS2000l Occ/Vac Sensor, Pir, 120/277V, Iv Hubbell Wiring Devices

Catalog Number	WS2000I
Manufacturer	Hubbell Wiring Devices
Description	Lighting Controls, Occupancy/Vacancy Sensors, Wall Switch,
	Passive Infrared Technology, 120/277V Ac, Ivory
Weight per unit	0.2060 (lbs/each)
Product Category	Lighting Occupancy Sensors

Features

connector	Screwed Terminal
load	Lighting Circuit
pallet quantity	1350 120/277 AC
supply voltage	120/277 AC
Voltage Rating	120/277

Dimensions and Weight

Size	4	1	5	in	X	1	.82	in	X	1.6	52	in
UILU			\sim	• • • • •	٠,,		. 02		٠			

Descriptions

Description	OCC/VAC SENSOR,PIR,120/277V,IV
extra long description	HWDK WS2000I OCC/VAC SENSOR,PIR,120
Features	Standard Passive Infrared Technology requires a clear,
	unobstructed line of sight for detection, because it senses
	occupancy as movement of heat emitted from the body against
	the background space. A segmented Fresnel lens divides a
	coverage area into zones. Movement across zones is interpreted
	as occupancy. Excellent for small room control.
Long Description	Lighting Controls, Occupancy/Vacancy Sensors, Wall Switch,
	Passive Infrared Technology, 120/277V AC, Ivory
Product Type	Occ/Vac Sensor, Pir, 120/277V, Iv
Special Features	Standard Product

Manufacturer Information

Brand	WIRING DEVICE-KELLEMS
GTIN	00783585256306
Manufacturers Part Number	WS2000I
series	Passive Infrared
UPC	783585256306

Taxonomies, Classifications, and Categories

Category Description	Residential dimmers, motion sensors, controls, & photo cells
Туре	Manual/Auto



standard

Mounting

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging	
Carton	1
Package	10
Weight Per each	0.206
Uses, Certifications, and Standards	
Application	Compatible with most LED and CFL
environmental conditions	Indoor Dry unless protected by additional means

Mounting Screws

cULus Listed To UL773A