

# Specifications

## Eaton XTOE020CCS

Eaton C440 electronic overload relay, XT IEC, 4-20A overload range, 45 mm Frame size, NO-NC contact configuration, Direct to contactor mounting, Selectable - 10A, 10, 20, 30 trip type



### General specifications

<b>PRODUCT NAME</b>	Eaton C440 electronic overload relay
<b>CATALOG NUMBER</b>	XTOE020CCS
<b>UPC</b>	786685416472
<b>PRODUCT LENGTH/DEPTH</b>	1.8 in
<b>PRODUCT HEIGHT</b>	4.3 in
<b>PRODUCT WIDTH</b>	1.42 in
<b>PRODUCT WEIGHT</b>	0.87 lb
<b>COMPLIANCES</b>	ATEX Compliant RoHS Compliant CE Marked
<b>CERTIFICATIONS</b>	IEC 60947 CSA Certified EN 60947 UL Listed

### Product specifications

<b>OVERLOAD RANGE</b>	4-20A
<b>TYPE</b>	Electronic overload relay
<b>FRAME SIZE</b>	45 mm
<b>MOUNTING METHOD</b>	Direct
<b>CONTACT CONFIGURATION</b>	NO, NC
<b>TRIP TYPE</b>	Selectable 10 A, class 10 ,20, 30

### Resources

<b>BROCHURES</b>	<a href="#">C440 Electronic Overload Relay</a>
<b>SPECIFICATIONS AND DATASHEETS</b>	<a href="#">Eaton Specification Sheet - XTOE020CCS</a>

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.



# Specifications

## Eaton XTOE020CCS

Eaton C440 electronic overload relay, XT IEC, 4-20A overload range, 45 mm Frame size, NO-NC contact configuration, Direct to contactor mounting, Selectable - 10A, 10, 20, 30 trip type



### General specifications

<b>PRODUCT NAME</b>	Eaton C440 electronic overload relay
<b>CATALOG NUMBER</b>	XTOE020CCS
<b>UPC</b>	786685416472
<b>PRODUCT LENGTH/DEPTH</b>	1.8 in
<b>PRODUCT HEIGHT</b>	4.3 in
<b>PRODUCT WIDTH</b>	1.42 in
<b>PRODUCT WEIGHT</b>	0.87 lb
<b>COMPLIANCES</b>	ATEX Compliant RoHS Compliant CE Marked
<b>CERTIFICATIONS</b>	IEC 60947 CSA Certified EN 60947 UL Listed

### Product specifications

<b>OVERLOAD RANGE</b>	4-20A
<b>TYPE</b>	Electronic overload relay
<b>FRAME SIZE</b>	45 mm
<b>MOUNTING METHOD</b>	Direct
<b>CONTACT CONFIGURATION</b>	NO, NC
<b>TRIP TYPE</b>	Selectable 10 A, class 10 ,20, 30

### Resources

<b>BROCHURES</b>	<a href="#">C440 Electronic Overload Relay</a>
<b>SPECIFICATIONS AND DATASHEETS</b>	<a href="#">Eaton Specification Sheet - XTOE020CCS</a>

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

